Author Index, Volume 5 (1991)

Aaronson, S.A., 1191
Abravaya, K., 2117
Adams, J.M., 509
Agabian, N., 1859
Allemann, R.K., 2048
Allen, J.D., 509
Allis, C.D., 1601
Altaba, A.R. i, 175
Amero, S.A., 188
Ammerer, G., 2405
Amsterdam, A., 880, 2567
Anderson, D.J., 1524
Anderson, K.V., 797
Arasu, P., 1813, 1825
Arrigo, S.J., 808
Askew, D., 1684
Aukerman, M.J., 310
Avvedimento, V.E., 22
Baeuerle, P.A., 1464
Bagchi, S., 1200
Baker, B.S., 786, 2071
Baker, J., 1800
Baltimore, D., 358, 1367
Barbas, J.A., 132
Bardsley, A., 2060
Bastia, D., 74, 1453
Beall, B., 447
Beckmann, H., 29, 1057
Behrens, S.-E., 1439
Belanger, C., 880
Belasco, J.G., 221
Bell, J.B., 2481
Bell, L.R., 403
Ben-David, Y., 908
Bennett, J.L., 1264
Berget, S.M., 2086
Berk, A.J., 2441
Bernstein, A., 908, 1115
Besmer, P., 2265
Beug, H., 2033
Beyer, A.L., 188
Biancalana, S., 201
Black, D.L., 389
Blanco, J., 1737
Blochlinger, K., 1124
Bond, U.M., 1709
Bopp, D., 403
Bortner, D.M., 1777
Bose, Jr., H.R., 1464
Bosma, M.J., 1357
Boswell, R.E., 2060
Botstein, D., 958
Bowman, L.H., 1723
Brady, H., 1490
Braun, R.E., 38
Bray, S.J., 1672
Breeden, L., 1183
Brill, S.J., 1589
Brissette, J.L., 1912
Broach, J.R., 605
Brodmann, P., 141
Brown, D.D., 1737
Brown, J.M., 1767
Brown, P.H., 1277
Brunkow, M.E., 1092
Bruyns, E., 728
Buckingham, M., 2363
Buckler, A.J., 1345
Bugge, T., 2033
Buikema, W.J., 321
Bürglin, T.R., 1813
Burr, B., 310
Burr, F.A., 310
Cado, D., 1333
Calnan, B.J., 201
Campuzano, S., 996
Canal, I., 132
Cantwell, C.A., 1553
Cao, Z., 1538
Carr, C.S., 2342
Carroll, A.M., 1357
Carroll, S.B., 984, 2481
Caspar, T., 1172
Cech, T.R., 1870
Champlin, D.T., 1611
Chebli, K., 1847
Chen, E., 958
Chen, I.S.Y., 808
Chen, S., 2235
Chen, W.S., 416
Cheng, P.F., 1321
Cherbas, L., 120
Cherbas, P., 120
Choder, M., 2315
Christ, C., 751
Chu, K., 1739
Chu, T.Y., 2265
Chuang, C.-C., 2386
Clarke, G.T., 2256
Clayton, D.A., 1264
Cline, T.W., 403
Cochran, B.H., 1924
Cole, G.M., 1969
Colgan, J., 254
Cone, K.C., 298
Conklin, P.L., 1407
Conley, P.B., 1042
Cook, M., 2048
Cook, R.G., 1601
Copeland, N.G., 509, 2245
Courey, A.J., 1892
Covitz, P.A., 1982
Crabtree, G.R., 1042
Craig, E.A., 1299
Cubas, P., 996
Culbertson, M.R., 2303
Cullen, B.R., 1277
Cutting, S., 456
Dahlquist, F.W., 764
Darnell Jr, J.E., 83, 416
Davis, N., 1464
Davis, R., 1377
de Celis, J.-F., 996
de la Pompa, J.L., 132
Dean, R.A., 1161
Dearolf, C.R., 855
DeBrasi, D., 22
Deng, X.-W., 1172
Deshler, J.O., 1252
Desplan, C., 594
Dessain, S., 278
Devoto, S.H., 1200
Devreotes, P.N., 1, 572
Dietzel, C., 467, 475
Dillon, N., 1387
Disela, C., 2033
Dodgson, J., 2033
Dolan, J.W., 741
Dollé, P., 1767
Dostatni, N., 1657
Draper, B.W., 160
Dreesen, T.D., 331
Dreyer, C., 94
Driks, A., 456
Drolet, D.W., 1739
Duboule, D., 1767
Duffy, J.B., 2176
Dwarki, V.J., 1377
Echols, H., 820
Eddy, S.R., 1032
Ehrman, W.J., 38
Eid, J.E., 2024
Elgin, S.C.R., 188
Ellinger-Ziegelbauer, H., 94
Esch, R.K., 9
Feddersen, R.M., 1136
Ferrús, A., 132
Fields, S., 741
Firtel, R.A., 9
Fischer, W.H., 656
Fisher, D.E., 2342
Frankel, A.D. 201
Frasch, M., 1611
Fraser, P., 1387
Frazier, M.W., 1957
Friedrich, G., 1513
Fromm, M.E., 298
Fu, X.-D., 211
Fuchs, E., 714
Fukushima, J., 1490
Galceran, J., 132
Gallie, D.R., 2108
Gallo, A., 22
Gampel, A., 1870
Garcia, J., 2128
Garcia-Blanco, M.A., 1224
Gatto, J., 1813
Gattoni, R., 1847
Gaynor, R., 2128
Gehring, W.J., 2467
Georgoff, I., 151
Gergen, J.P., 2176
Gheysen, G., 287
Gianelos, J.A., 1009
Gibson, G., 2467
Gibson, S., 944
Giddens, E.B., 908
Giese, K., 2567
Giguère, V., 1333
Gil, A., 1224
Girdham, C.H., 1786, 2153
Glazer, L., 697
Glineur, C., 2033
Glover, D.M., 1786, 2153
Goebl, M., 1969
Goff, S.A., 298
Goguel, V., 1430
Gold, L., 1032
Golumbeski, G.S., 2060
Gonzalez, C., 2153
Goridis, C., 1416
Gottesfeld, J., 1737
Gottesman, M.E., 22
Graf, T., 369
Graves, M.K., 1042
Graves, R.A., 428
Greaves, D., 1387
Green, M.R., 2496
Greenberg, M.E., 221
Greenblatt, J., 1504, 2141
Grosschedl, R., 880, 932, 2567
Grosveld, F., 1387
Guo, W., 2096
Gurdon, J.B., 1149
Guthrie, C., 629, 773
Haber, D.A., 1345
Ham, J., 1657
Hammer, R.E., 38
Hammond, M.L., 1723
Han, K., 254
Han, M., 2188
Hanscombe, O., 1387
Hansen, L.P., 1042
Hanson, M.R., 1407
Harris, E., 594
Harvey, D.M., 2375
Harvey, R.P., 509
Haselkorn, R., 321
Hébert, J.M., 105
Heichman, K.A., 1622, 1635
Hein, M.B., 438
Helfman, D.M., 2096
Henikoff, S., 331
Hennessy, K.M., 958
Hernandez, N., 1477
Herr, W., 2555
Herskowitz, I., 1982
Hieter, P., 549
Higgins, K.M., 2265
Himmelspach, M., 1847
Hirsch, J.P., 467, 475
Hoey, T., 265, 827
Hoffman, C.S., 561
Hohn, T., 141
Hollenberg, S., 1377
Holm, K., 1902
Hopwood, N.D., 1149
Housman, D., 1345
Howley, P.M., 1657
Huang, J.-D., 1892
Huang, S., 2288
Hudson, D., 201
Hudson, K.L., 797
Hutchinson III, C.A., 74
Iino, Y., 1990
Inoue, J.-i., 1464

Ip, Y. T., 1881
Ish-Horowicz, D., 341, 840
Itin, A., 521
Izban, M.G., 683
Izpisúa-Belmonte, J.-C., 1767
Jackson, S., 820
Jacobson, A., 2303
Jacques, J.-P., 707
Jamison, S.F., 1224
Jan, L.Y., 1124, 1577
Jan, Y.N., 1124, 1577
Jenkins, N.A., 509, 2245
Jenuwein, T., 932
Jeoung, D.-I., 2235
Jessell, T., 175
Jhappan, C., 1395
Jiang, J., 265, 1881
Johnson, A.D., 764
Johnson, J.E., 1524
Johnson, P.F., 1553
Johnson, R.C., 1622, 1635
Johnson, R.L., 1
Jones, K.A., 656, 2508
Kadesch, T., 29, 1057
Kafatos, F.C., 1672
Kamps, M.P., 358
Karess, R.E., 2153
Karim, F.D., 1067
Karin, M., 1490
Karwan, R., 1264
Katz, R.A., 211
Kaufman, M.R., 1834
Keller, A.D., 868
Kerr, L.D., 1464
Keshet, E., 521
Kilpatrick, M., 2455
Kimmel, A.R., 1
Kingston, R.E., 1285, 2431
Kirk, K.E., 2014
Kittle, Jr., J.D., 1009
Klee, H.J., 438
Kohwi, Y., 2547
Kohwi-Shigematsu, T., 2547
Kolakofsky, D., 707
Koshland, Jr., D.E., 2386
Kosman, D., 1881
Kozak, L.P., 2256
Kozak, U.C., 2256
Krah-Jentgens, I., 132
Kraus, V.B., 1200
Kraut, R., 827
Krumlauf, R., 2048
Kunes, S., 970
Kunkel, B., 456
Kurjan, J., 467, 475
Kuroiwa, A., 2363
Kurtz, S., 616
Lacy, E., 2265
Lahue, E.E., 2166
Lai, E., 416
Lambert, P.F., 1657
Lambowitz, A.M., 1009
LaRochelle, W.J., 1191
Lasser, A., 1377
Lee, A., 958
Lee, K., 120
Lee, W., 232
Leeds, P., 2303
Leptin, M., 1568
Letwin, K., 908
Levine, A.J., 151, 2375
Levine, M., 254, 265, 827, 1881
Liao, S.-M., 2431
Liao, X., 1430
Lieberman, P.M., 2441
Lin, R., 1601
Lin, T.-Y., 797
Link, E., 1464
Linton, R., 1395
Lints, T., 509
Lis, J.T., 1611
Lister, J., 1477
Liu, Z., 49
Llamazares, S., 2153
Lo, L.-C., 1524
Lobo, S.M., 1477
Look, A.T., 358
Lopes, M.d.B., 1969
Losick, R., 456
Loughney, K., 331
Lucibello, F.C., 1212
Lührmann, R., 1439
Luk, S.K.-S., 2455
Luse, D.S., 683
Lutkenhaus, J., 447
Lydall, D., 2000, 2405
Lyons, G., 2363
Ma, H., 484
MacAllister, T., 1453
Macdonald, P.M., 2455
Maeda, T., 1990
Mahon, K.A., 1395
Mahoney, D.J., 605
Maizels, N., 2353
Maniatis, T., 211, 868
Manley, J.L., 254
Marquardt, R., 605
Marshall, H., 2048
Martinez, J., 151
Mason, S.W., 1504
Mattox, W., 786
May-Siroff, M., 1191
Mayer, S.A., 1237
McCormick, A., 1490
McCormick, S., 496
McGinnis, N., 278
McGinnis, W., 278
McKnight, S.L., 1538
McNeish, J., 2245
McStay, B., 1957
Mendel, D.B., 1042
Merker, H.-J., 2245
Merlino, G.T., 1395
Merrick, W., 1723
Metz, R., 1754
Metz, T., 369
Meyerowitz, E.M., 484
Michaud, S., 2534
Mikesell, G.E., 1183
Milocco, L.H., 2508
Mirkovitch, J., 83
Mitchell, A.P., 533, 1982
Mitchell, P.J., 105
Model, P., 1912
Modolell, J., 996
Mohr, G., 1009
Mohun, T.J., 1149
Monks, J., 244
Moran, E., 1200
Moreira, A., 2153
Morimoto, B.H., 2386
Morimoto, R.I., 1902, 2117
Morris, N.R., 2014
Morrissey, D., 1684
Moses, K., 583
Moskowitz, I.P.G., 1622, 1635
Mullen, M.P., 642
Müller, R., 1212
Mulligan, G.J., 2096
Mumberg, D., 1212
Muroff, I., 2000
Musti, A.M., 22
Nadal-Ginard, B., 642, 1237
Nasmyth, K., 2000, 2405
Neigeborn, L., 533
Nevins, J.R., 1200
Nguyen, H., 2265
Niwa, M., 2086
Nodwell, J.R., 2141
Nordquist, D.T., 1136
Nusse, R., 381
O'Gorman, S., 160
Obici, S., 22
Ohshima, Y., 1022
Orkin, S.H., 919
Orr, H.T., 1136
Orr-Weaver, T.L., 2166
Ostrowski, M.C., 1777
Palmiter, R.D., 38
Pan, D., 1892
Parent, L.A., 2342
Paris, J., 1697
Park, H.-O., 1299
Parker, C.S., 855
Parkhurst, S.M., 341
Pascal, E., 1646
Patton, J.G., 642, 1237
Pelletier, J., 1345
Peltz, S.W., 2303
Perrimon, N., 1080
Peterson, A.C., 1136
Pfeifer, G.P., 1102
Phillips, B., 2117
Phillips, C.L., 764
Piwnica-Worms, H., 1697
Pollack, R.E., 2235, 2327
Pongs, O., 132
Potter, S.S., 2245
Prakash, K., 855
Prezioso, V.R., 416
Proudfoot, N.J., 244
Pugh, B.F., 1935, 2212
Quail, P.H., 1172
Raj, L., 1684
Rao, Y., 1577
Ray, P., 2265
Raychaudhuri, P., 1200
Reed, J.W., 2274
Reed, R., 2534
Reed, S.I., 1969
Reeder, R.H., 1957
Regulski, M., 278
Reith, A.D., 1115
Richter, J.D., 1697
Riddihough, G., 840
Rigby, P.W.J., 105, 2048
Riggs, A.D., 1102
Robbins, K.C., 1191
Robert, B., 2363
Rockmill, B., 2392
Roeder, G.S., 2392
Roelink, H., 381
Rogers, A., 1345
Romano, C.P., 438
Rosbash, M., 1430
Rose, A.B., 605
Rosenfeld, M.G., 897, 1309, 1739
Ross, S.R., 428
Rossant, J., 1333
Rossi, J.J., 1252
Roussel, M., 1777
Rubin, G.M., 583
Ruezinsky, D., 29
Run, J.-Q., 2199
Ruvkun, G., 1813, 1825
Rymond, B.C., 1430
Ryner, L.C., 2071
Saito, T., 1524
Sanchez, M., 22
Sanfaçon, H., 141
Sap, J., 2033
Sarge, K.D., 1902
Saumweber, H., 1611
Saxe III, C.L., 1
Schalling, M., 1345
Schedl, P., 403
Schibler, U., 2225
Schiff, R., 521
Schlissel, M., 1367
Schmidt, R., 456
Schmidt, R.J., 310
Schmitt, R.M., 728
Schneider, D.S., 797
Schreiner, C., 2245
Schubiger, G., 1800
Schuermann, M., 1212
Schuetz, T.J., 1285
Schuh, R., 2467
Scott, W., 2245
Scully, K.M., 1739
Sengupta, P., 1924
Sewall, T.C., 1161
Seyer, J.M., 1834
Shago, M., 1333
Shannon, K.W., 773
Sharp, P.A., 1224, 1946, 2342
Shei, G.-J., 605
Sheline, C.T., 2508
Shero, J.H., 549
Shilo, B.-Z., 697
Shimanuki, M., 60
Shore, D., 616

Shyu, A.-B., 221
Sigman, D., 2128
Simandl, B.K., 2363
Simmons, D.M., 1739
Singh, G., 2245
Sista, P.R., 74
Sive, H.L., 1321
Skalka, A.M., 211
Skeath, J.B., 984
Small, S., 827
Smith, A.V., 2166
Smith, C.W.J., 642
Smouse, D., 1080
Snider, L., 1377
Snodgrass, H.R., 728
Sollner-Webb, B., 2024
Song, O.-k., 741
Soriano, P., 1513
Sousa, R., 1657
Southgate, C.D., 2496
Spector, D.L., 2288
Spiegelman, B.M., 428
Spruce, B.A., 2153
Stahle, C., 1395
Stanojevic, D., 254
Steitz, J.A., 1709
Steller, H., 970
Stengl, G., 2033
Stenzel, T.T., 1453
Stern, S., 2555
Sternberg, P.W., 2188
Stévenin, J., 1847
Stillman, B., 1589
Stone, D.E., 1969
Stott, D., 2048
Strasser, A., 509
Strauss, E.J., 629, 919
Stringer, M.A., 1161
Stunnenberg, H., 2033
Su, W., 820
Sugimoto, A., 1990
Sullivan, M.L., 1477
Sun, T.J., 572
Sunkel, C.E., 2153
Supp, D.M., 2245
Swanson, L.W., 1739
Swenson, K., 1697
Taba, M.R.M., 2000
Tacke, R., 1416
Tan, J.C., 2265
Tanese, N., 2212
Tani, T., 1022
Tao, W., 416
Tapscott, S.J., 1377
Tavares, A., 2153
Tax, F., 2060
Taylor, I.C.A., 1285, 2431
Taylor, M.V., 1149
Taylor, R.K., 1834
Tebb, G., 2000
Tempst, P., 1237
Thummel, C.S., 1067
Tian, J.-M., 2225
Tickle, C., 1767
Tiley, L.S., 1277
Tilghman, S.M., 1092
Timberlake, W.E., 1161
Timmers, H.T.M., 1946
Timmons, P.M., 105
Tjian, R., 105, 670, 820, 1646, 1935, 2212
Toda, T., 60
Tontonoz, P., 428
Topol, J., 855
Towers, N., 1149
Travis, A., 880
Treisman, J., 594
Treisman, R., 2327
Tretjakoff, I., 1136
Tsai, S.-F., 919
Twell, D., 496
Tye, B.-K., 49, 751, 944
Ueffing, M., 22
Ulivi, M., 1777
Umek, R.M., 1538
Ushiba, J., 496
Vaessin, H., 1577
Van Montagu, M., 287
Vandaele, S., 1136
Vassar, R., 714
Verma, I.M., 1377, 1464
Vershon, A.K., 764
Villarroel, R., 287
Voronova, A., 1367
Voss, J.W., 1309
Wagner-Bernholz, J.T., 2467
Wahl, G.M., 160
Walker, G.C., 2274
Wang, A., 2199
Wang, H., 1009
Wang, L., 2199
Warrior, R., 827
Watanabe, Y., 1990
Waterman, M.L., 656
Watkins, K.P., 1859
Way, J.C., 2199
Wegner, M., 1739
Weichs an der Glon, C., 244
Weiner, L., 1912
Weintraub, H., 1377
Weir, M., 1684
Whiting, J., 2048
Whyatt, D., 1387
Wightman, B., 1813, 1825
Wilkie, T.M., 38
Williams, J.A., 2481
Williams, M., 2353
Williams, S.C., 1553
Williams, T., 670
Willingham, M.C., 1395
Wilson, C., 2467
Wilson, L., 1309
Wilson, R.K., 1407
Windle, B., 160
Windsor, J, 2235
Wing, R.A., 496
Winston, F., 561
Wisdom, R., 232
Workman, J.L., 1285
Wormsley, S., 2096
Wu, C., 1902
Wu, F., 2128
Wuenschell, C.W., 1524
Yamaguchi, J., 496
Yamamoto, M., 1990
Yan, H., 944
Yanagida, M., 60
Yaniv, M., 1657
Yannoutsos, N., 1387
Yanofsky, C., 2420
Yanofsky, M.F., 484
Yarden, O., 2420
Yario, T.A., 1709
Yasuda, G.K., 1800
Yee, N.S., 2265
Yin, Y., 160
Young, R., 2431
Yuan, Y.-l.O., 741
Zenke, M., 2033
Zhang, K., 1080
Ziff, E., 1754
Zimarino, V., 1902
Zirngibl, R., 1333
Zuo, P., 254

Subject Index, Volume 5 (1991)

A

ac. See Achaete
Achaete (*ac*) gene expression, *Drosophila* (Cubas et al.), 996–1008; (Skeath and Carroll), 984–995
Achaete-scute Drosophila protein, mammalian homolog MASH1 HLH protein (Lo et al.), 1524–1537
Acidic activators, transcription process (Southgate and Green), 2496–2507
Activation, of transcription, by *trans*-activator BPV-1 E2 (Dostatni et al.), 1657–1671
Adenovirus E1A
  pre-mRNA, modulation of alternative splicing (Gattoni et al.), 1847–1858
  protein, required for dissociation of E2F complexes (Raychaudhuri et al.), 1200–1211
Adipocytes
  differentiation, expression of C/EBP isoforms (Cao et al.), 1538–1552
  identification of fat-specific enhancer (Graves et al.), 428–437
AG gene family, flower development (Ma et al.), 484–495
Agrobacterium tumefaciens, and T-DNA integration (Gheysen et al.), 287–297
Alfalfa, nodulation of (Reed and Walker), 2274–2287
Alpha-tropomyosin gene
  exon selection, rat (Mullen et al.), 642–655
  selective splicing of exons 2 and 3 (Patton et al.), 1237–1251
Alpha2 protein, yeast, structure of homeo domain (Phillips et al.), 764–772
Alternative RNA processing, *Drosophila doublesex* (*dsx*) pre-mRNA (Ryner and Baker), 2071–2085
Alternative splicing
  beta-tropomyosin, regulation of (Guo et al.), 2096–2107
  and *Drosophila tra-2* regulatory gene (Mattox and Baker), 786–796
  E1A pre-mRNA , modulating factors (Gattoni et al.), 1847–1858
  E2A–Pbx1 fusion proteins (Kamps et al.), 358–368
  of *fosB* (Mumberg et al.), 1212–1223
  of mouse neural cell adhesion molecule (NAM), regulation of exon 18 (Tacke and Goridis), 1416–1429
  possible origin of (Deshler and Rossi), 1252–1263
Amplicon integration, role of chromosome breakage in (Windle et al.), 160–174
Anabaena 7120, cyanobacterium, heterocyst differentiation gene (Buikema and Haselkorn), 321–330
Antennapedia (*Antp*) homeotic gene, *Drosophila*, identification of target genes (Wagner-Bernholz et al.), 2467–2480
Anteroposterior axis, *X. laevis*, specification of (Ellinger-Ziegelbauer and Dreyer), 94–104
Anthocyanin, maize, *trans*-activation of (Goff et al.), 298–309
Antitermination
  N protein of phage lambda (Mason and Greenblatt), 1504–1512
  transcription, bacteriophage lambda (Nodwell and Greenblatt), 2141–2151
Antp. See Antennapedia
AP-1-like transcription factor, encoded by fission yeast gene, confers staurosporine resistance (Toda et al.), 60–73
AP-2 transcription factor
  expression pattern during mouse embryogenesis, neural crest cells (Mitchell et al.), 105–119
  structure/function analysis, human (Williams and Tjian), 670–682
Apical ectodermal ridge, chick limb buds, *Hox-7* and *Hox-8* gene expression (Robert et al.), 2363–2374
Arabidopsis thaliana
  AG gene family (Ma et al.), 484–495
  cop1 photoregulatory locus (Deng et al.), 1172–1182
Arginine-rich peptides, RNA–protein recognition (Calnan et al.), 201–210
ARS activity, *S. cerevisiae*, importance of proteins Mcm2 and Mcm3 (Yan et al.), 944–957
Ascospore formation, *A. nidulans*, *tubB* alpha-tubulin gene (Kirk and Morris), 2014–2023
Aspergillus nidulans
  rodA, a new developmental gene (Stringer et al.), 1161–1171
  sexual development, *tubB* alpha-tubulin (Kirk and Morris), 2014–2023
Asymmetric cell division, *C. elegans* (Way et al.), 2199–2211
ATP, effect of on [U4/U6.U5] tri-snRNP complexes (Behrens and Lührmann), 1439–1452
ATP-independent splicing complex, commits pre-mRNA to spliceosome assembly pathway (Michaud and Reed), 2534–2546
Autoregulation
  Drosophila Dfd homeotic selector gene (Regulski et al.), 278–286
  Drosophila, eve segmentation gene (Jiang et al.), 265–277
Auxin inactivation, in transgenic tobacco plants (Romano et al.), 438–446
Avian leukemia virus E26, v-*myb* and v-*ets* oncogenes (Metz and Graf), 369–380
Avian sarcoma virus, control of balanced RNA splicing (Fu et al.), 211–220
Axial patterning, *Xenopus* embryos, contribution by endogenous retinoids (Altaba and Jessell), 175–187

B

B cells
  development, and transcription factor E47 (Schlissel et al.), 1367–1376
  LR1 DNA-binding activity (Williams and Maizels), 2353–2361
B52 protein, *Drosophila*, borders transcriptionally active chromatin (Champlin et al.), 1611–1621
Bacillus subtilis
  ftsZ and septation (Beall and Lutkenhaus), 447–455
  sporulation gene *spoIVB* (Cutting et al.), 456–466
Bacteriophage
  lambda, *nut* site RNA (Nodwell and Greenblatt), 2141–2151
  T4, *nrdB* intron (Eddy and Gold), 1032–1041
Bcd. See Bicoid
Beta-interferon (beta-IFN), novel repressor of PRDI-BF1 expression (Keller and Maniatis), 868–879
Beta-tropomyosin pre-mRNA, alternative splicing of (Guo et al.), 2096–2107
Bicoid (*bcd*) mRNA localization, Drosophila, role of *exu* gene in (Macdonald et al.), 2455–2466
Binary switch gene, Drosophila *sex lethal* (*Sxl*) (Bopp et al.), 403–415
Bovine papillomavirus type 1 (BPV-1), E2 *trans*-activator protein, activator and repressor (Dostatni et al.), 1657–1671
BPV-1. *See* Bovine papillomavirus type 1
Branchpoint/polypyrimidine tracts, competition between determines exon selection (Mullen et al.), 642–655
bZIP
  domain, in maize opaque-2 mutant (Aukerman et al.), 310–320
  proteins, DNA-binding protein, C/EBP (Cao et al.), 1538–1552

C

c-*erbA*, thyroid hormone (T3/T4) receptor (Disela et al.), 2033–2047
c-*fos* proto-oncogene
  activation of (Metz and Ziff), 1754–1766
  deadenylation of mRNA (Shyu et al.), 221–231
  RNA transcripts, nuclear localization of (Huang and Spector), 2288–2302
c-*kit* proto-oncogene, function in melanoblast progenitors (Ray et al.), 2265–2273
c-*myc* mRNA, rapid turnover of (Wisdom and Lee), 232–243
c-*src* mouse gene, neural-specific splicing of N1 exon (Black), 389–402
C/EBP-related protein family, and leucine zipper dimers (Williams et al.), 1553–1567
Caenorhabditis elegans
  dominant-negative *ras* mutations (Han and Sternberg), 2188–2198
  heterochronic gene regulation (Arasu et al.), 1825–1833
  lin-14 gain-of-function mutations (Wightman et al.), 1813–1824
Calmodulin genes, *T. brucei*, homologous recombination (Eid and Sollner-Webb), 2024–2032
cAMP
  induction of transcription factor rNFIL-6 (Metz and Ziff), 1754–1766
  receptor gene, *Dictyostelium* (Saxe III et al.), 1–8
    targeting of *CAR1* gene (Sun and Devreotes), 572–582
  signaling pathway, glucose repression of *S. pombe fbp1* transcription (Hoffman and Winston), 561–571
  and spatial expression of *Dictyostelium ras* gene (*Dd-ras*) (Esch and Firtel), 9–21
CaMV. *See* Cauliflower mosaic virus
Cap, functions synergistically with poly(A) tail (Gallie), 2108–2116
CAR1, *Dictyostelium* cAMP receptor gene (Saxe III et al.), 1–8
Carbonic anhydrase II (CAII), *erbA* target gene (Disela et al.), 2033–2047
Cardiac actin expression, *Xenopus* somites (Taylor et al.), 1149–1160
Cauliflower mosaic virus (CaMV), poly(A) signal, differences from vertebrate signal (Sanfaçon et al.), 141–149
CBP2 protein, yeast, facilitates RNA self-splicing (Gampel and Cech), 1870–1880
cdc genes. *See* Cell-division-cycle genes
Cell cycle
  G_1-S transition, *Drosophila* and yeast (Lahue et al.), 2166–2175
  -regulated transcription, of yeast *SWI4* and *HO* (Breeden and Mikesell), 1183–1190
  regulation
    by temperature-sensitive p53 mutant (Martinez et al.), 151–159
    S. cerevisiae, *SWI5* transcription (Lydall et al.), 2405–2419
Cell differentiation, C/EBP isoforms in adipogenesis (Cao et al.), 1538–1552
Cell division, *B. subtilis ftsZ* gene (Beall and Lutkenhaus), 447–455
Cell sorting, and spatial expression of *Dictyostelium ras* gene (*Dd-ras*) (Esch and Firtel), 9–21
Cell surface association, novel mechanism for retention of growth factors (LaRochelle et al.), 1191–1199
Cell transformation, rat embryo fibroblasts transformed by p53 mutant (Martinez et al.), 151–159
Cell type-specific gene expression, immunoglobulin mu in normal and transgenic mice (Jenuwein and Grosschedl), 932–943
Cell wall biosynthesis, *N. crassa*, role of chs-1 (Yarden and Yanofsky), 2420–2430
Cell-division-cycle (*cdc*) genes, *S. cerevisiae*, interacting genes (Hennessy et al.), 958–969
Cell-type determination, yeast, role of RAP1 DNA-binding protein (Kurtz and Shore), 616–628
Centromere DNA (CEN DNA), mutation, suppressors of (Shero and Hieter), 549–560
Cerebellar compartments, expression of *Pcp-2* (Vandaele et al.), 1136–1148
Chicken limb development, apical ectodermal ridge regulates *Hox-7* and *-8* (Robert et al.), 2363–2374
Chitin synthase 1 (*chs-1*), role in *N. crassa* cell wall biogenesis (Yarden and Yanofsky), 2420–2430
Chromatin
  bridges, at anaphase, caused by *lodestar* mutation (Girdham and Glover), 1786–1799
  condensed, during *Tetrahymena* macronuclear development (Lin et al.), 1601–1610
  Drosophila, and B52 protein (Champlin et al.), 1611–1621
  structure, active (Xa) and inactive (Xi) X chromosomes (Pfeifer and Riggs), 1102–1113
  templates, RNA elongation on (Izban and Luse), 683–696
Chromosome breakage, role in gene amplification, deletion formation, and amplicon integration (Windle et al.), 160–174
Cis-acting factors, modulation of E1A alternative splicing, modulating factors (Gattoni et al.), 1847–1858
CLN function, *Saccharomyces cerevisiae* (Lahue et al.), 2166–2175
Colony stimulating factor-1 receptor (CSF-1R), and nuclear signal transduction (Bortner et al.), 1777–1785
Conidiophore cells, *Aspergillus* developmental gene *rodA*, required for formation of rodlet layer (Stringer et al.), 1161–1171
Conserved motifs, flower development, regulatory genes (Ma et al.), 484–495
cop1, *Arabidopsis* photoregulatory locus (Deng et al.), 1172–1182
CPE-binding protein, phosphorylation of (Paris et al.), 1697–1708
crn. *See Crooked neck*
Crooked neck (*crn*) gene, *Drosophila*, member of TPR gene family (Zhang et al.), 1080–1091
CSF-1R. *See* Colony-stimulating factor-1 receptor
CT3 cytoplasmic mutant, of SV40 T antigen (Jeoung et al.), 2235–2244
CTD domain, of RNA polymerase II, and transcription initiation (Liao et al.), 2431–2440
Cut expression, and *Drosophila* sensory organ identity (Bochlinger et al.), 1124–1135
Cyanobacterium, *Anabaena* 7120, heterocyst differentiation (Buikema and Haselkorn), 321–330
Cyclin gene, *Drosophila*, complements CLN function in yeast (Lahue et al.), 2166–2175
Cyt 18 protein, role in splicing mitochondrial RNA (Kittle Jr. et al.), 1009–1021
Cytokines, role in hematopoietic development (Schmitt et al.), 728–740
Cytoplasmic accumulation, HIV-1 RNAs, effect of Rev on (Arrigo and Chen), 808–819
C/EBP isoforms, expression during adipogenesis (Cao et al.), 1538–1552

D

Ddc Drosophila gene, activation by Elf-1 transcription factor (Bray and Kafatos), 1672–1683
Deadenylation, of c-*fos* mRNA (Shyu et al.), 221–231
Deformed (*Dfd*), *Drosophila* homeotic

selector gene, autoregulation of (Regulski et al.), 278–286
Deletion, chromosome breakage and gene amplification (Windle et al.), 160–174
Dephosphorylation, of histone H1 (Lin et al.), 1601–1610
Derepression, of IgH enhancer activity (Ruezinsky et al.), 29–37
Developmental mutants, in mice (Reith and Bernstein), 1115–1123 Review
Developmental transition, *Drosophila* embryogenesis, maternal to zygotic control (Yasuda et al.), 1800–1812
Dfd. See Deformed
DHFR gene, chromosome breakage and gene amplification (Windle et al.), 160–174
Dictyostelium
cAMP receptor gene (Saxe III et al.), 1–8
chemoattractant receptors in (Sun and Devreotes), 572–582
spatial expression of *ras* gene (*Dd-ras*) (Esch and Firtel), 9–21
Dimerization
and DNA binding of AP-2 (Williams and Tjian), 670–682
specificity, of CDNA-binding protein TFE3, b-HLH-zip (Beckmann and Kadesch), 1057–1066
dl. See Dorsal
DNA binding
and HMG box (Giese et al.), 2567–2578
in maize opaque-2 bZIP domain (Aukerman et al.), 310–320
DNA-binding activity, Rel and NF-κB, effects of pp40 and IκBβ on (Kerr et al.), 1464–1476
DNA-binding domain, Drosophila, *paired* box (Treisman et al.), 594–604
DNA-binding factor, TFEB, HLH/leucine-zipper family (Fisher et al.), 2342–2352
DNA-binding proteins
bZIP family
TEF (Drolet et al.), 1739–1753
C/EBP (Cao et al.), 1538–1552
DnaA, RepA and IHF (Stenzel et al.), 1453–1463
Drosophila maternal morphogen dorsal (dl) (Jiang et al.), 1881–1891
HLH MyoD (Weintraub et al.), 1377–1386
HMG boxes (McStay et al.), 1957–1968
RAP1, role of in yeast cell-type determination (Kurtz and Shore), 616–628
sequence-specific mammalian transcription factor AP-2 (Williams and Tjian), 670–682
SRF-related proteins (Pollock and Treisman), 2327–2341
TCF-1α with HMG motif (Waterman et al.), 656–669
trans-activator BPV-1 E2 (Dostatni et al.), 1657–1671
yeast
MCM1, functional domains of (Christ and Tye), 751–763
STE12 (Song et al.), 741–750
DNA looping
cooperative interaction at a distance (Stenzel et al.), 1453–1463
by Sp1 protein (Su et al.), 820–826
DNA methylation, at CpG islands (Pfeifer and Riggs), 1102–1113
DNA replication
S. cerevisiae
genes MCM2 and 3 (Yan et al.), 944–957
interacting genes (Hennessy et al.), 958–969
RF-A (Brill and Stillman), 1589–1600
termination of (Sista et al.), 74–82
DNA structure, dG.dG.dC triplets, negative regulator (Kohwi and Kohwi-Shigematsu), 2547–2554
DNA supercoiling, and DNA inversion vs deletion (Moskowitz et al.), 1635–1645
DNA topology, *Salmonella Hin* recombination system (Heichman et al.), 1622–1634
DNA–protein interaction
DNA-binding proteins and pSC101 replication origin (Stenzel et al.), 1453–1463
termination of DNA replication (Sista et al.), 74–82
DnaA, host-encoded initiator protein (Stenzel et al.), 1453–1463
Dominant inhibition, maize transcriptional activator C1 (Goff et al.), 298–309
Dominant-negative mutation
c-*kit*^{W42} (Ray et al.), 2265–2273
C. elegans let-60 ras gene (Han and Sternberg), 2188–2198
Dorsal (*dl*)
gene product, *Drosophila*, and *twist* ventral activator region (Pan et al.), 1892–1901
maternal morhogen, *Drosophila* embryo, controls determinant gene *twist* (Jiang et al.), 1881–1891
Dorsal–ventral patterning, *Drosophila dorsal* (*dl*) morphogen gradient (Jiang et al.), 1881–1891
twist ventral activator region (Pan et al.), 1892–1901
Dorsal–ventral polarity, *Drosophila* embryo, and Toll transmembrane protein (Schneider et al.), 797–807
Doublesex (*dsx*), *Drosophila*
pre-mRNA, regulation of processing (Ryner and Baker), 2071–2085
RNA splicing of (Mattox and Baker), 786–796
Drosophila
Antp homeotic gene, identification of target genes (Wagner-Bernholz et al.), 2467–2480
autoregulation of
Dfd homeotic selector gene (Regulski et al.), 278–286
of *eve* segmentation gene (Jiang et al.), 265–277
of *tra-2* splicing (Mattox and Baker), 786–796
B52 protein borders transcriptionally active chromatin (Champlin et al.), 1611–1621
brown gene, *trans*-inactivation element (Dreesen et al.), 331–340
crn, TPR gene family member (Zhang et al.), 1080–1091
development, function of Elf-1/grh (Bray and Kafatos), 1672–1683
E74 transcription, coordinated regulation of (Karim and Thummel), 1067–1079
Eip28/29 gene, identification of EcREs (Cherbas et al.), 120–131
embryo
dorsal–ventral patterning (Jiang et al.), 1881–1891; (Pan et al.), 1892–1901
dorsal–ventral polarity (Schneider et al.), 797–807
temporal regulation (Yasuda et al.), 1800–1812
transcriptional regulation of eve (Small et al.), 827–839
exu gene and *bcd* mRNA localization (Macdonald et al.), 2455–2466
eye development and *glass* gene (Moses and Rubin), 583–593
FGF-R homolog (Glazer and Shilo), 697–705
fork head homeotic gene, and rat *HNF-3* gene family (Lai et al.), 416–427
gap proteins *Kr* and *hb*, transcriptional regulators (Zuo et al.), 254–264
hairy-stripe elements, regulation of (Riddihough and Ish-Horowicz), 840–854
maternal effect mutation, chromatin bridges at anaphase (Girdham and Glover), 1786–1799
maternal-effect mutation, *wimp* (Parkhurst and Ish-Horowicz), 341–357
mesoderm development, regulation by *twist* and *snail* genes (Leptin), 1568–1576
neuroectoderm in mesoderm mutants (Rao et al.), 1577–1588
novel cyclin gene, complements CLN function in yeast (Lahue et al.), 2166–2175
oogenesis, *tudor* posterior-group gene (Golumbeski et al.), 2060–2070

paired box of *prd* gene (Treisman et al.), 594–604
PEP, association with active ecdysone-induced puffs (Amero et al.), 188–200
polo gene, required for mitosis (Llamazares et al.), 2153–2165
proneural clusters of *achaete-scute* expression (Cubas et al.), 996–1008
regulation of *dsx* pre-mRNA processing (Ryner and Baker), 2071–2085
segmentation gene *runt*, and Sx1 regulation (Duffy and Gergen), 2176–2187
sensory organ identity, and ectopic expression of *Cut* (Bochlinger et al.), 1124–1135
sexual determination, *sex-lethal* gene (Bopp et al.), 403–415
visual system development, toxin-mediated ablation (Kunes and Steller), 970–983
wing and haltere development, role of *vestigial* (*vg*) gene in (Williams et al.), 2481–2495
wing development, sensory neurogenesis (Skeath and Carroll), 984–995
dsx. See *Doublesex*

E

E1A
pre-mRNA, modulation of alternative splicing (Gattoni et al.), 1847–1858
protein, adenovirus, same domains required for oncogenic activity and dissociation of E2F complexes (Raychaudhuri et al.), 1200–1211
E2 *trans*-activating protein, BPV-1, activator and repressor (Dostatni et al.), 1657–1671
E2A–Pbx1 fusion proteins, in pre-B ALL cells (Kamps et al.), 358–368
E2F complexes, adenovirus, dissociation of by E1A (Raychaudhuri et al.), 1200–1211
Ecdysone
puffs, *Drosophila* PEP zinc finger protein (Amero et al.), 188–200
response elements (EcREs), analysis of *Drosophila Eip28/29* gene (Cherbas et al.), 120–131
transcriptional control of E74, *Drosophila* (Karim and Thummel), 1067–1079
Ectodermal–mesodermal interactions, chicken limb development (Robert et al.), 2363–2374
Ectopic expression
Cut, transformation of sensory organ development, *Drosophila* (Bochlinger et al.), 1124–1135
of mouse H19 gene (Brunkow and Tilgman), 1092–1101
pair-rule gene *prd*, Drosophila (Morrissey et al.), 1684–1696
transgenic mice, c-*kit*^{W42} minigene (Ray et al.), 2265–2273
Eip28/29 Drosophila gene, identification of EcREs (Cherbas et al.), 120–131
Elongation factors, *E. coli*, transcription complexes (Mason and Greenblatt), 1504–1512
Embryogenesis, *Drosophila* developmental transition (Yasuda et al.), 1800–1812
Embryonic stem (ES) cells
hematopoietic development of (Schmitt et al.), 728–740
promoter traps in (Friedrich and Soriano), 1513–1523
EMC. *See Extramacrochaete*
Endoribonuclease, nuclear RNase MRP (Karwan et al.), 1263–1276
Enhancer detection, *Drosophila*, identification of Antp target genes (Wagner-Bernholz et al.), 2467–2480
Enhancer
adipocyte-specific (Graves et al.), 428–437
IgH, derepression of activity (Ruezinsky et al.), 29–37
sequences, of tomato LAT genes (Twell et al.), 496–507
spatially specific, *Hox-2.6* (Whiting et al.), 2048–2059
Epidermal development, role of TFG-α in transgenic mice (Vassar and Fuchs), 714–727
Epidermal/neural differentiation, *Drosophila* (Bray and Kafatos), 1672–1683
Epstein-Barr virus, encodes *Zta* transcription activator protein (Lieberman and Berk), 2441–2454
Erythroid cell differentiation, v-*erbA* overexpression extinguishes c-*erbA* function (Disela et al.), 2033–2047
Erythroid development, GATA-1 transcription factor (Tsai et al.), 919–931
Erythroleukemia induction, by F-MuLV (Ben-David et al.), 908–919
Escherichia coli
elongation factors (Mason and Greenblatt), 1504–1512
phage shock protein, σ^{54} regulates expression (Weiner et al.), 1912–1923
transcription elongation factors, assemble into complex with phage lambda N protein and *nut* site (Nodwell and Greenblatt), 2141–2151
Ets gene family, *Fli-1*, insertional activation (Ben-David et al.), 908–919
Eve. *See Even-skipped*
Even-skipped (*eve*), *Drosophila*
pair-rule gene (Small et al.), 827–839
segmentation gene, autoregulation of (Jiang et al.), 265–277
Evolutionary conservation
Caenorhabditis mec-3 sequences (Way et al.), 2199–2211
differentation of cells of internal organs, vertebrates and invertebrates (Lai et al.), 416–427
homeobox genes, murine *Hlx* and *Drosophila H2.0* (Allen et al.), 509–520
mammalian HLH protein MASH1 and *Drosophila achaete-scute* (Lo et al.), 1524–1537
murine *Hox* genes and *Drosophila* homeotic clusters (Whiting et al.), 2048–2059
exoD mutants, *R. meliloti*, alkali sensitive (Reed and Walker), 2274–2287
Exon selection, rat alpha-tromyosin gene (Mullen et al.), 642–655
Extracellular protein secretion, pilus biogenesis of *V. cholerae* (Kaufman et al.), 1834–1846
Extramacrochaetae (*emc*), *Drosophila*
HLH protein (Skeath and Carroll), 984–995; (Cubas et al.), 996–1008
Exu. *See Exuperantia*
Exuperantia (*exu*) gene, *Drosophila*, role in initiating *bcd* mRNA localization (Macdonald et al.), 2455–2466
Eye development, and *Drosophila glass* gene (Moses and Rubin), 583–593

F

Fat development, brown and white in transgeneic mice, overexpressing glycerol 3-phosphate (Kozak et al.), 2256–2264
Fibroblast growth factor receptor (FGF-R), *Drosophila* homolog (Glazer and Shilo), 697–705
Fis protein
and Hin recombination system (Heichman et al.), 1622–1634; (Moskowitz et al.), 1635–1645
Fission yeast, genes that confer resistance to staurosoporine (Toda et al.), 60–73
Fli-1, *ets* gene family, new member (Ben-David et al.), 908–919
Flower development, *Arabidopsis* AG gene family (Ma et al.), 484–495
Footprinting
in vivo, mouse erythroleukemic cells (Tsai et al.), 919–931

new in vivo method, TTR transcription control elements (Mirkovitch and Darnell), 83–93
fosB transcripts, alternative splicing of (Mumberg et al.), 1212–1223
Friend murine leukemia virus (F-MuLV), erythroleukemia induction (Ben-David et al.), 908–919
Fructose-bisphosphatase, glucose repression of *fbp1* transcription by cAMP (Hoffman and Winston), 561–571
ftsZ cell division gene, *B. subtilis* and septation (Beall and Lutkenhaus), 447–455
ftx. *See Fushi tarazu*
Fushi tarazu (*ftz*), *Drosophila* pair-rule segmentation gene, reconstructed promoter system (Topol et al.), 855–867

G

G-proteins
alpha subunits, carboxyl termini of, mammalian (Hirsch et al.), 467–474
guanine nucleotide-binding domain mutation, yeast (Kurjan et al.), 475–483
novel binding protein (Morimoto et al.), 2386–2391
Gain-of-function mutation, C. elegans *lin-14* (Wightman et al.), 1813–1824
GAL4, binding to nuclesomal templates (Taylor et al.), 1285–1298
Gal4–Pro coactivator, purified from human TFIID complex (Tanese et al.), 2212–2224
Gap proteins, Drosophila *Krüppel* and *hunchback*, transcriptional regulators (Zuo et al.), 254–264
GATA-1, regulatory protein (Tsai et al.), 919–931
Gene activation, structural changes in chromatin (Champlin et al.), 1611–1621
Gene amplification
mediated by chromosome breakage (Windle et al.), 160–174
T. brucei calmodulin genes (Eid and Sollner-Webb), 2024–2032
Gene inactivation, *Drosophila brown* gene, pairing-sensitive element mediates *trans*-inactivation (Dreesen et al.), 331–340
Gene rearrangement, E47 activates Ig rearrangement (Schlissel et al.), 1367–1376
Gene targeting, of *Dictyostelium* cAMP receptor gene cAR1 (Sun and Devreotes), 572–582
Genitalia, mammalian, morphogenesis of (Dollé et al.), 1767–1776
Germ-line transmission, intrachromasomal recombination in transgenic MyK-103 mice (Wilkie et al.), 38–48
GHF1 gene, minimal cell type-specific promoter (McCormick et al.), 1490–1503
Glass gene, *Drosophila* eye development (Moses and Rubin), 583–593
Glucose repression, of *S. pombe fbp1* transcription (Hoffman and Winston), 561–571
Glycerol 3-phosphate dehydrogenase, overexpression alters brown and white fat development (Kozak et al.), 2256–2264
Gpa1 protein, yeast, myristoylation by Nmt1 (Stone et al.), 1969–1981
Group I introns
mobility study (Eddy and Gold), 1032–1041
splicing of in *Neurospora* mitochondria (Kittle et al.), 1009–1021
Growth factor, identification of PDGF retention sequences (LaRochelle et al.), 1191–1199
Growth hormone (GH) gene, binding of transcription factor GHF-1, pituitary specific (McCormick et al.), 1490–1503
GTP-binding protein, LMW G-protein, cloning of first member of new class (rah) (Morimoto et al.), 2386–2391
GTPase-activating protein (GAP), inhibition of *ras* signaling pathway (Bortner et al.), 1777–1785

H

h. *See Hairy*
Hairy (*h*), *Drosophila*
HLH protein (Skeath and Carroll), 984–995
pair-rule gene, *Drosophila* stripe regulatory elements (Riddihough and Ish-Horowicz), 840–854
Haplolethality, *Drosophila* (Barbas et al.), 132–140
Hb. *See Hunchback*
Heat shock
E. coli psp operon (Weiner et al.), 1912–1923
HeLa cells, regulation of HSF activity (Abravaya et al.), 2117–2127
negative regulation of a yeast HSP70 gene (Park and Craig), 1299–1308
Heat shock factor (HSF)
binding to nucleosomal templates (Taylor et al.), 1285–1298
mouse mHSF1 and mHSF2, cloning of (Sarge et al.), 1902–1911
Heat shock loci, *Drosophila* B52 protein (Champlin et al.), 1611–1621
Heat shock protein. *See also* protein names.
HeLa cells, attenuation of heat shock response (Abravaya et al.), 2117–2127
Helicase gene family, cold-sensitive mRNA splicing mutant in *S. cerevisiae* (Strauss and Guthrie), 629–641
Helix–loop–helix (HLH)
dimerization specificity mediated by leucine zipper (Beckmann and Kadesch), 1057–1066
domain, adjacent to LZ domain in TFEB (Fisher et al.), 2342–2352
protein
Drosophila sensory organ pattern formation (Skeath and Carroll), 984–995
Drosophila twist gene product (Leptin), 1568–1576
MASH1, mammalian homolog of *Drosophila achaete-scute* (Lo et al.), 1524–1537
MyoD (Weintraub et al.), 1377–1386
transcription factor
E47, activated Ig gene rearrangement in T-cell line (Schlissel et al.), 1367–1376
ITF-1 and TFE3 (Ruezinsky et al.), 29–37
Hematopoiesis, and murine *Hlx* homeo box gene (Allen et al.), 509–520
Hematopoietic cells, transformation by E26 (Metz and Graf), 369–380
Hematopoietic development, murine embryonic stem (ES) cell differentiation (Schmitt et al.), 728–740
Hematopoietic system, erythroleukemia induction (Ben-David et al.), 908–919
Herpes simplex virus (HSV), *trans*-activator VP16 recognizes Oct-1 homeodomain (Stern and Herr), 2555–2566
Heterochronic genes, *C. elegans*
lin-14, gain-of-function mutation (Wightman et al.), 1813–1824
lin-14, *-4*, *-28*, and *-29* (Arasu et al.), 1825–1833
Heterocyst differentiation gene, cyanobacterium *Anabaena* 7120 (Buikema and Haselkorn), 321–330
Heterodimerization, of vertebrate transcription factor HNF-1 (Mendel et al.), 1042–1056
Hin recombinase, mediates site-specific DNA recombination (Heichman et al.), 1622–1634
Hin recombination sites, alignment of (Moskowitz et al.), 1635–1645
Histone
pre-mRNAs, U7 snRNA–HDE base pairing (Bond et al.), 1709–1722

Tetrahymena macronuclear development, (Lin et al.), 1601–1610
HIV. *See* Human immunodeficiency virus
HLH. See Helix–loop–helix
HMG box
of lymphoid enhancer binding factor 1 (LEF-1), sequence-specific DNA-binding domain (Giese et al.), 2567–2578
protein
LEF-1 regulatory protein shares homology with (Travis et al.), 880–894
S. pombe transcription factor Ste11, sexual development (Sugimoto et al.), 1990–1999
xUBF binding factor (McStay et al.), 1957–1968
HMG transcription factor, T cell-specific (Waterman et al.), 656–669
HML silencer, yeast (Mahoney et al.), 605–615
HNF-1
tissue-specific expression, HNF-4 involvement (Tian and Schibler), 2225–2234
HNF-1α, forms heterodimers with HNF-1β (Mendel et al.), 1042–1056
HNF-3 rat gene family, homology to *Drosophila* homeotic gene fork head (Lai et al.), 416–427
HNF-4, involved in tissue-specific expression of HNF-1 (Tian and Schibler), 2225–2234
HO
gene activation, yeast, *SW14,6*–DNA-binding complex (Taba et al.), 2000–2013
transcription, yeast, requires SWI4 transcription factor (Breeden and Mikesell), 1183–1190
Homeo box gene
Drosophila *eve*, autoregulation of (Jiang et al.), 265–277
Drosphila prd gene (Morrissey et al.), 1684–1696
C. elegans, *mec-3* and *unc-86* (Way et al.), 2199–2211
evolutionary conservation and regulatory potential (Allen et al.), 509–520
HOX complex (Dollé et al.), 1767–1776
Hox-7 and *Hox-8* expression, regulated by chick apical ectodermal ridge (Robert et al.), 2363–2374
Homeo box proteins, *Drosophila*
interacaction with gap proteins *Kr* and *hb* (Zuo et al.), 254–264
Homeo domain, yeast α2 protein, secondary structure of (Phillips et al.), 764–772
Homeo domain proteins
GHF-1 (Pit-1) transcription factor (McCormick et al.), 1490–1503
HNF-1α and HNF-1β (Mendel et al.), 1042–1056
Prd (Treisman et al.), 594–604
Homeodomain–protein interactions, HSV Oct-1 complex (Stern and Herr), 2555–2566
Homeodomain-recognition subdomain, HSV VP16 region recognizes Oct-1 (Stern and Herr), 2555–2566
Homeotic gene, *Drosophila Antp*, identification of target genes (Wagner-Bernholz et al.), 2467–2480
Homeotic selector gene, *Drosophila Dfd*, autoregulation of (Regulski et al.), 278–286
Homologous recombination, *T. brucei* calmodulin genes (Eid and Sollner-Webb), 2024–2032
Hox-2.6 gene, regulation in transgenic mice (Whiting et al.), 2048–2059
Hox-4 gene expression, morphogenesis of mammalian genitalia (Dollé et al.), 1767–1776
HSP70 protein, complements defects of cytoplasmic mutant SV40 T antigen (Jeoung et al.), 2235–2244
Human immunodeficiency virus type 1 (HIV-1)
occlusion of poly(A) site (an der Glon et al.), 244–253
translation, effect of Rev on cytoplasmic accumulation of RNAs (Arrigo and Chen), 808–819
TAR RNA-binding protein (TRP-185) (Wu et al.), 2128–2140
Tat protein
binding to TAR RNA (Calnan et al.), 201–210
RNA and DNA bound (Southgate and Green), 2496–2507
transcriptional activation by (Sheline et al.), 2508–2520
Hunchback (*hb*), *Drosphila* gap protein (Zuo et al.), 254–264

I

IAA phytohormones, role in plant development (Romano et al.), 438–446
IHF, host-encoded DNA-binding protein (Stenzel et al.), 1453–1463
IκBβ, inhibiting effect on DNA-binding and similarity to pp40 (Kerr et al.), 1464–1476
Illegitimate recombination, similarity between plants (T-DNA integration) and mammals (Gheysen et al.), 287–297
Imaginal discs, *Drosophila* development (Skeath and Carroll), 984–995; (Cubas et al.), 996–1008
wing and haltere development (Williams et al.), 2481–2495
Immortalization process, murine embryo fibroblasts, p53 alterations during (Harvey and Levine), 2375–2385
Immunoglobulin genes, E47 activates Ig gene rearrangement in T-cell line (Schlissel et al.), 1367–1376
Immunoglobulin heavy chain (IgH), derepression of enhancer activity (Ruezinsky et al.), 29–37
Immunoglobulin mu gene, complex pattern of expression (Jenuwein and Grosschedl), 932–943
Initiation complex
transcription (Timmers and Sharp), 1946–1956
X. laevis upstream binding factor (xUBF) (McStay et al.), 1957–1968
Insertional mutagenesis, promoter traps (Friedrich and Soriano), 1513–1523
Insertional mutation, *legless* (*lgl*), vertebrate limb development (Singh et al.), 2245–2255
Interferon. See Beta-interferon
Intron
mobility, group I introns (Eddy and Gold), 1032–1041
structure, mutations influence 3′ splice-site selection (Deshler and Rossi), 1252–1263
Invertasome structure, DNA inversion (Moskowitz et al.), 1635–1645
Isotype-switch recombination, LR1 candidate regulator (Williams and Maizels), 2353–2361

K

Kinase activity (p34^{cdc2}), and cytoplasmic polyadenylation (Paris et al.), 1697–1708
Kinetochore function, *S. cerevisiae* (Shero and Hieter), 549–560
Kluyveromyces lactis, actin gene, secondary structure within intron (Deshler and Rossi), 1252–1263
Kr. See Krüppel
Krüppel (*Kr*), *Drosphila* gap protein (Zuo et al.), 254–264

L

LEF-1 (lymphoid enhancer-binding factor 1), regulates T-cell receptor alpha enhancer function (Travis et al.), 880–894
Leucine zipper
bZIP proteins (Cao et al.), 1538–1552
C/EBP-related proteins (Williams et al.), 1553–1567
domain, adjacent to HLH domain in TFEB (Fisher et al.), 2342–2352

gene family (bZIP), new member TEF (Drolet et al.), 1739–1753
of TFE3 dictates HLH dimerization specificty (Beckmann and Kadesch), 1057–1066
Leukemia
pre-B ALL, human t (1;19) translocation (Kamps et al.), 358–368
virus, avian E26, v-*myb* and v-*ets* oncogenes (Metz and Graf), 369–380
lgl. *See Legless*
Light regulation, *Arabidopsis cop1* photoregulatory locus (Deng et al.), 1172–1182
Limb morphogenesis, and *legless* (*lgl*) insertional mutation (Singh et al.), 2245–2255
lin heterochronic genes, *C. elegans*, -14, -4, -28, and -29 (Arasu et al.), 1825–1833
lin-14 heterochronic gene, *C. elegans*, negative regulatory sequence in 3′ UTR (Wightman et al.), 1813–1824
Liver, footprinting of TTR transcription control elements (Mirkovitch and Darnell), 83–93
LMW G-protein, cloning of first member of new class (rah), (Morimoto et al.), 2386–2391
Lodestar, *Drosophila* maternal-effect gene (Girdham and Glover), 1786–1799
LPS, and isotype switching (Williams and Maizels), 2353–2361
LR1 DNA-binding activity, candidate regulator of switch recombination (Williams and Maizels), 2353–2361
LTRs, retroviruses, selective use of poly(A) sites in 3′ not 5′ (an der Glon et al.), 244–253
Lymphoid enhancer binding factor (LEF-1), HMG box is sequence-specific DNA-binding domain (Giese et al.), 2567–2578
Lymphoid-specific gene expression, role of LEF-1 (Travis et al.), 880–894

M

Macronuclear development, *Tetrahymena* (Lin et al.), 1601–1610
Mads box, conserved DNA motif (Ma et al.), 484–495
MADS box, SRF-like DNA-binding domain (Pollock and Treisman), 2327–2341
Maize
opaque-2 mutant (Aukerman et al.), 310–320
trans-activation of anthocyanin pigmentation (Goff et al.), 298–309
Male sterility, in transgenic mice (Merlino et al.), 1395–1406
MATα1, yeast, mediates gene activation (Sengupta nad Cochran), 1924–1934
Maternal effect genes, *Drosophila*
Toll gene (Schneider et al.), 797–807
lodestar, mutation causing anaphase bridge (Girdham and Glover), 1786–1799
Maternal-effect mutation, *wimp*, *Drosophila* (Parkhurst and Ish-Horowicz), 341–357
Maternal morphogen, *Drosophila dorsal* (*dl*), controls determinant gene *twist* (Jiang et al.), 1881–1891
Mating, yeast
pheromone, a-mating factor (Sengupta nad Cochran), 1924–1934
and pheromone response pathway (Kurjan et al.), 475–483
receptor interactions (Hirsch et al.), 467–474
Mating-type genes, *S. cerevisiae*
HML silencer (Mahoney et al.), 605–615
RAP1 DNA-binding protein (Kurtz and Shore), 616–628
Mating-type-specific genes, yeast, regulation by transcription/replication factor MCM1 (Christ and Tye), 751–763
MCK1 gene, *S. cerevisiae*
kinetochore function (Shero and Hieter), 549–560
meiosis and centromere regulation, yeast (Neigeborn and Mitchell), 533–548
MCM1 transcription factor, yeast
activation of SW15 transcription (Lydall et al.), 2405–2419
/replication factor, yeast, functional domains of (Christ and Tye), 751–763
MCM2 and *MCM3* genes, DNA repliclation in *S. cerevisiae* (Yan et al.), 944–957
mec-3 gene, *C. elegans* homeo box-containing gene (Way et al.), 2199–2211
Mechanoreceptors, *C. elegans* (Way et al.), 2199–2211
Meiosis
A. nidulans sexual development, *tubB* alpha-tubulin (Kirk and Morris), 2014–2023
yeast
MEK1 gene product (Rockmill and Roeder), 2392–2404
positive regulation by *MCK1* kinase (Neigeborn and Mitchell), 533–548
Meiotic control, yeast zinc finger protein homolog (Covitz et al.), 1982–1989
MEK1 gene product, yeast, homology to serine-threonine protein kinase, role in meiosis (Rockmill and Roeder), 2392–2404
Melanoblast progenitors, c-*kit* function in (Ray et al.), 2265–2273
Mesoderm development, *Drosophila*, *twist* and *snail* (Leptin), 1568–1576
Mesoderm
mutants, *Drosophila*, neuroectoderm (Rao et al.), 1577–1588
Xenopus embryos, effect of RA on (Altaba and Jessell), 175–187
Mesodermal tissues, *Xenopus*, differentiation altered by RA treatment (Sive and Cheng), 1321–1332
Metamorphosis, *Drosophila*, ecdysone pulses (Karim and Thummel), 1067–1079
Mice. *See also* Mouse
developmental mutants (Reith and Bernstein), 1115–1123 Review
immunoglobulin mu expression (Jenuwein and Grosschedl), 932–943
Mitochondria
DNA replication, RNA processing (Karwan et al.), 1263–1276
gene, *nad1* in *Petunia*, *trans*-splicing (Conklin et al.), 1407–1415
intron (bI5), yeast, requirement for self-splicing (Gampel and Cech), 1870–1880
RNA processing, tyrosyl–tRNA synthetase involved in splicing (Kittle Jr. et al.), 1009–1021
Mitosis, *Drosophila* larval neuroblasts, abnormalities resulting from mutation in *polo* gene (Llamazares et al.), 2153–2165
Morphogen, *Drosophila bicoid* protein, localization of (Macdonald et al.), 2455–2466
Morphogene, RA, effects during mouse embryogenesis (Rossant et al.), 1333–1344
Mouse
cloning of heat shock factors (Sarge et al.), 1902–1911
embryo fibroblasts, p53 alterations during spontaneous immortalization (Harvey Levine), 2375–2385
expression of RA response element–*hsplacZ* transgene (Rossant et al.), 1333–1344
transcription factor AP-2 expression pattern (Mitchell et al.), 105–119
H19 gene, ectopic expressiion (Brunkow and Tilgman), 1092–1101
Hox genes, *Hox-2.6*, spatial regulation (Whiting et al.), 2048–2059
neural development, *Wnt* gene family (Roelink and Nusse), 381–388
mRNA
decay, deadenylation of c-*fos* mRNA (Shyu et al.), 221–231

levels, topoisomerase I-dependent transcriptional repression (Choder), 2315–2326
RNA secondary structure and polyadenylation (Brown et al.), 1277–1284
splicing, cold-sensitive mutant of *S. cerevisiae* (Strauss and Guthrie), 629–641
stability, coupled to translation (Wisdom and Lee), 232–243
3′-end formation, plant pararetrovirus CaMV poly(A) signal (Sanfac (cedilla)on et al.), 141–149
translational efficiency, cap structure and poly(A) tail (Gallie), 2108–2116
-type intron, found in U6 genes (Tani and Ohshima), 1022–1031
Multigene family
A. nidulans tubulin gene family (Kirk and Morris), 2014–2023
Dictyostelium cAMP receptor gene (Saxe III et al.), 1–8
Multimeric complexes, Sp1, directs synergism and superactivation (Pascal and Tjian), 1646–1656
Muscle development, *Drosophila*, functional role of TNI isoforms (Barbas et al.), 132–140
Muscle-specific promoters, SRf binding to (Pollock and Treisman), 2327–2341
Muscle-specific transcriptional activation, by MyoD (Weintraub et al.), 1377–1386
Myoblast differentiation, translation of mouse ribosomal protein mRNAs (Hammond et al.), 1723–1736
MyoD
transcriptional activation, muscle specific (Weintraub et al.), 1377–1386
and *Xenopus* embryonic muscle actin expression (Taylor et al.), 1149–1160
Myogenesis, *Xenopus*, cardiac actin expression (Taylor et al.), 1149–1160
Myristoylation, yeast, Gpa1 by Nmt1 (Stone et al.), 1969–1981

N

N phage protein, transcription antitermination (Nodwell and Greenblatt), 2141–2151
nad1, *Petunia* mitochondrial gene (Conklin et al.), 1407–1415
NCAM. See Neural cell adhesion molecule
Negative regulation, of yeast heat shock gene (Park and Craig), 1299–1308
Negative regulator, poly (dg)-poly (dC) sequence can form triple-helix structure (Kohwi and Kohwi-Shigematsu), 2547–2554
Neural cell adhesion molecule (NCAM), alternative splicing and regulation of exon 18 (Tacke and Goridis), 1416–1429
Neural crest cells, AP-2 expression during mouse embryogenesis (Mitchell et al.), 105–119
Neural identity, *Drosophila* sensory organs, and ectopic *Cut* expression (Bochlinger et al.), 1124–1135
Neural-specific splicing, mouse c-*src* N1 exon (Black), 389–402
Neuroectoderm, *Drosophila*, mesoderm mutant (Rao et al.), 1577–1588
Neurogenesis, sensory, *Drosophila* (Skeath and Carroll), 984–995
Neuron-specific expression, of *Pcp-2* (Vandaele et al.), 1136–1148
Neurosopora crassa
cell wall biosynthesis, role of *chs-1* (Yarden and Yanofsky), 2420–2430
mitochondria, tyrosyl-tRNA synthetase (Kittle Jr. et al.), 1009–1021
NF-κB, DNA-binding activity of (Kerr et al.), 1464–1476
Nitrogen
fixation, cyanobacterium *Anabaena* 7120 (Buikema and Haselkorn), 321–330
starvation, *S. pombe* (Sugimoto et al.), 1990–1999
NMR spectroscopy, secondary structure of yeast α2 homeo domain (Phillips et al.), 764–772
Nmt1, yeast, myristoylates Gpa1 and other proteins (Stone et al.), 1969–1981
Nodulation, of alfalfa (Reed and Walker), 2274–2287
nrdB gene, in phage T4 and wild phage RB3, intron mobility (Eddy and Gold), 1032–1041
Nuclear factor-1, and adipocyte-specific enhancer (Graves et al.), 428–437
Nuclear organization, relationship to pre-mRNA splicing (Huang and Spector), 2288–2302
Nucleo-cytoplasmic ratio, *Drosophila* zygotic transcription (Yasuda et al.), 1800–1812
Nucleoside triphosphate-binding protein, encoded by Drosophila lodestar maternal-effect gene (Girdham and Glover), 1786–1799
Nucleosome
binding, of HSF and GAL4 (Taylor et al.), 1285–1298
and RNA polymerase pausing (Izban and Luse), 683–696
Numerator element, *Drosophila runt* gene (Duffy and Gergen), 2176–2187
Nus factors, elongation factors, *E. coli* (Mason and Greenblatt), 1504–1512
Nut site of bacteriophage lambda, RNA bound by antitermination factors on RNA polymerase (Nodwell and Greenblatt), 2141–2151

O

Oct-1 homeodomain, recognized by HSV *trans*-activator VP16 (Stern and Herr), 2555–2566
OCTA sites, and immunoglobulin mu gene expression (Jenuwein and Grosschedl), 932–943
Oncogenes
activity, and adenovirus E1A-mediated transformation, dissociation of by E1A (Raychaudhuri et al.), 1200–1211
recessive, Wilms' tumor gene WT1 (Pelletier et al.), 1345–1356
v-*myb* and v-*ets*, transformation and differentiation (Metz and Graf), 369–380
Oncoprotein v-*erbA*, overexpression extinguishes c-*erbA* function (Disela et al.), 2033–2047
Oocyte maturation, *Xenopus*, polyadenylation activation (Paris et al.), 1697–1708
Oogenesis, *Drosophila*, *tudor* posterior-group gene (Golumbeski et al.), 2060–2070
Opaque-2 mutant, maize (Aukerman et al.), 310–320

P

p53
cell cycle regulation (Martinez et al.), 151–159
mutations, and spontaneous immortalization (Harvey and Levine), 2375–2385
Pair-rule genes, *Drosophila*
regulate segment-polarity genes (Morrissey et al.), 1684–1696
transcriptional regulation of *eve* (Small et al.), 827–839
segmentation *ftz* (Topol et al.), 855–867
Paired (*prd*) gene, *Drosophila* embryo, functional dissection of (Morrissey et al.), 1684–1696
Paired box, *Drosophila*, DNA-binding domain (Treisman et al.), 594–604
Palindromic binding site, and transcrip-

tion factor AP-2 (Williams and Tjian), 670–682
Pattern formation
morphogenesis of mammalian genitalia (Dollé et al.), 1767–1776
mouse embryogenesis, role of RA (Rossant et al.), 1333–1344
vertebrate limb formation, model system (Singh et al.), 2245–2255
Pattern formation, *Drosophila*
transcriptional regulation of *eve* (Small et al.), 827–839
hairy stripe elements (Riddihough and Ish-Horowicz), 840–854
homeotic gene and murine *Hox* genes (Whiting et al.), 2048–2059
posterior organizing center, *tud* locus (Golumbeski et al.), 2060–2070
sensory organ (Skeath and Carroll), 984–995
similar information in antennal and leg imaginal discs (Wagner-Bernholz et al.), 2467–2480
thoracic imaginal disc cells (Williams et al.), 2481–2495
PEP (protein on ecdysone puffs), *Drosophila*, association with active ecdysone puffs (Amero et al.), 188–200
Peptide structure, recognition by arginine-rich peptides (Calnan et al.), 201–210
Petunia hybrida, *trans*-splicing of nad1 (Conklin et al.), 1407–1415
Phage shock protein (*psp*) operon, *E. coli* σ^{54} regulates expression (Weiner et al.), 1912–1923
Pheromone response, *S. cerevisiae*
myristoylation of Gpa1 (Stone et al.), 1969–1981
phosphorylation of yeast STE12 protein (Song et al.), 741–750
Pheromone response pathway
and SCG1 guanine nucleotide-binding domain mutants (Kurjan et al.), 475–483
and yeast receptor interactions (Hirsch et al.), 467–474
Phosphoprotein pp40, and DNA-binding activity of Rel protein and NF-κB (Kerr et al.), 1464–1476
Phosphorylation, pheromone-dependent, of yeast STE12 (Song et al.), 741–750
Photomorphogenesis, Arabidopsis, *cop1* photoregulatory locus (Deng et al.), 1172–1182
Photoreceptor cells, *Drosophila*, toxin-mediated ablation (Kunes and Steller), 970–983
Phytohormone, role of IAA in plant development (Romano et al.), 438–446
Pigmentation, maize, trans-activation of anthocyanin (Goff et al.), 298–309
Pilin processing, *V. cholerae*, proteolytic removal of hydrophilic leader (Kaufman et al.), 1834–1846
Pituitary-specific regulatory gene, GHF1 (McCormick et al.), 1490–1503
PKC. *See* Protein kinase C
Plant
development, role of IAA (Romano et al.), 438–446
pararetrovirus, cauliflower mosaic virus (CaMV), poly(A) signal (Sanfaç on et al.), 141–149
Platelet-derived growth factor (PDGF), identification of retention sequences (LaRochelle et al.), 1191–1199
Pollen development, promoter analysis of LAT tomato genes (Twell et al.), 496–507
Polo gene, *Drosophila*, encodes protein kinase homolog region for mitosis (Llamazares et al.), 2153–2165
Poly(A). See Polyadenylation
Polyadenylation
activation, during *Xenopus* oocyte maturation (Paris et al.), 1697–1708
and *Drosophila dsx* pre-mRNA processing (Ryner and Baker), 2071–2085
consensus sequence mutation, upstream splicing inhibited (Niwa and Berget), 2086–2095
effect of RNA secondary structure on (Brown et al.), 1277–1284
signal, differences between vertebrate and plant signal (Sanfaçon et al.), 141–149
site, HIV-1, occlusion of (an der Glon et al.), 244–253
tail
functions synergistically with cap (Gallie), 2108–2116
removal of, first step in decay process (Shyu et al.), 221–231
Polypyrimidine tract-binding protein
pre-mRNA splicing (Patton et al.), 1237–1251
and pre-splicesome complex (Gil et al.), 1224–1236
Polytene chromosomes, *Drosphila* PEP zinc finger protein (Amero et al.), 188–200
Position-effect variegation, *Drosophila* (Dreesen et al.), 331–340
POU domain
proteins, Pit-1 and Oct-1 heteromeric complex (Voss et al.), 1309–1320
transcription factors (Rosenfeld), 897–907
PQ box, yeast, directs gene induction (Sengupta and Cochran), 1924–1934
Prd. See Paired
Pre-B ALL, human t (1;19) translocation and E2A–Pbx1 fusion proteins (Kamps et al.), 358–368
Pre-mRNA
alternative splicing, adenoviral E1A, modulating factors (Gattoni et al.), 1847–1858
alternative splicing, beta-tropomyosin (Guo et al.), 2096–2107
processing, alternative splicing of mouse NCAM (Tacke and Goridis), 1416–1429
splicesome assembly pathway, commited by ATP-independent complex (Michaud and Reed), 2534–2546
splicing
polypyrimidine tract-binding protein (Patton et al.), 1237–1251
relationship to nuclear structure and organization (Huang and Spector), 2288–2302
role of U2 RNA structure (Zavanelli and Ares), 2521–2533. *See also* Splicing
Pre-splicesome complex, and pPTB binding to polypyrimidine tract (Gil et al.), 1224–1236
Premature termination codon, degradation of transcripts (Leeds et al.), 2303–2314
Prenatal lethality, mice, caused by ectopic expression of *H19* gene (Brunkow and Tilgman), 1092–1101
Prolactin gene, Pit-1/Oct-1 heteromeric complex, induces promoter expression (Voss et al.), 1309–1320
Promoter
activation, prolactin, Pit-1/Oct-1 heteromeric complex induces expression of (Voss et al.), 1309–1320
activity, GATA-1 regulatory protein (Tsai et al.), 919–931
of *GHF1* gene, minimal sequence (McCormick et al.), 1490–1503
Drosophila, reconstructed with synthetic oligonucleotides (Topol et al.), 855–867
LAT tomato genes, pollen-specific enhancer sequences and shared regulatory elements (Twell et al.), 496–507
traps, transgenic mice, genetic screen (Friedrich and Soriano), 1513–1523
Proneural clusters, *Drosophila* imaginal wing disc (Cubas et al.), 996–1008
Protein kinase C (PKC), fission yeast, staurosporine inhibition (Toda et al.), 61–73
Protein kinase, encoded by fission yeast gene, confers staurosporine resistance (Toda et al.), 61–73

Protein kinase homolog
Drosophila polo gene product, required for mitosis (Llamazares et al.), 2153–2165
MEK1 yeast gene product, role in meiosis (Rockmill and Roeder), 2392–2404
Protein–protein interactions
between DNA-bound Sp1 molecules (Su et al.), 820–826
HLH and leucine zipper of TFE3 (Beckmann and Kadesch), 1057–1066
Zta-TFIID promoter complex (Lieberman and Berk), 2441–2454
Proto-oncogene. *See also* specific names
c-*kit*, function in melanoblast progenitors (Ray et al.), 2265–2273
Rel (Kerr et al.), 1464–1476
PRP24, U6-specific binding protein of RNP consensus family (Shannon and Guthrie), 773–785
pSC101 replication origin, DNA–protein interactions (Stenzel et al.), 1453–1463
Pseudo-templated transcription, in prokaryotes and eukaryotes (Jacques and Kolakofsky), 707–713
Purkinje cell protein 2 (Pcp-2), expression in cerebellar compartments (Vandaele et al.), 1136–1148

R

RAP1
DNA-binding protein, role of in yeast cell-type determination (Kurtz and Shore), 616–628
yeast telomere-binding protein (Liu and Tye), 49–59
Ras gene
C. elegans dominant-negative mutations of (Han and Sternberg), 2188–2198
Dictyostelium, spatial expression (Esch and Firtel), 9–21
Ras oncogene, inhibition of signaling pathway (Bortner et al.,1777–1785
Rat embryo fibroblasts, transformed by p53 mutant (Martinez et al.), 151–159
Receptor
gene, *Dictyostelium* cAMP (Saxe III et al.), 1–8
interactions, yeast, with pheromone receptors (Hirsch et al.), 467–474
tyrosine kinase, FGF-R subclass (Glazer and Shilo), 697–705
Recombinant knots, *Hin*-generated site-specific DNA recombination (Heichman et al.), 1622–1634
Recombination
germ-line intrachromosomal (Wilkie et al.), 38–48
hot spot, germ-line mosaicism in Myk-103 male mice (Wilkie et al.), 38–48
illegitimate, model for T-DNA integration (Gheysen et al.), 287–297
isotype switching (Williams and Maizels), 2353–2361
sites, *Hin*, alignment of (Moskowitz et al.), 1635–1645
Rel protein, DNA-binding activity of (Kerr et al.), 1464–1476
RepA, plasmid-encoded initiator protein (Stenzel et al.), 1453–1463
Replication
factor-A (RF-A), *S. cerevisiae* (Brill and Stillman), 1589–1600
initiation, and yeast MCM1 factor (Christ and Tye), 751–763
origin, pSC101, preinitiation complex (Stenzel et al.), 1453–1463
termination of (Sista et al.), 74–82
Repression
of transcription, by *trans*-activator BPV-1 E2 (Dostatni et al.), 1657–1671
upstream repression site-binding factor (UESF) (Park and Craig), 1299–1308
Retention sequences, identification of in PDGF (LaRochelle et al.), 1191–1199
Retinal bipolar neurons, Pcp-2 expression (Vandaele et al.), 1136–1148
Retinoic acid (RA)
and mesodermal patterning in *Xenopus* embryos (Altaba and Jessell), 175–187
mouse, role in anterior–posterior patterning along body axis (Rossant et al.), 1333–1344
perturbs *Xenopus* mesoderm (Sive and Cheng), 1321–1332
receptor (RAR), *Xenopus laevis* (Ellinger-Ziegelbauer and Dreyer), 94–104
Retrotransposons, expression in steroidogenic cells (Schiff et al.), 521–532
Retrovirus
integration site, Fli-1, member of *ets* gene family (Ben-David et al.), 908–919
RNA, control of balanced splicing (Fu et al.), 211–220
transcription, HIV-1 poly(A) site (an der Glon), 244–253
Rev, effect of on HIV-1 translation (Arrigo and Chen), 808–819
Rhizobium meliloti, exoD mutants are alkali sensitive (Reed and Walker), 2274–2287
Ribosmal proteins, mouse, translation of mRNAs (Hammond et al.), 1723–1736
RME1 gene, yeast, encodes zinc finger protein prepressed by a1-α2 (Covitz et al.), 1982–1989
RNA
editing, of *Petunia nad1* transcript (Conklin et al.), 1407–1415
elongation, inhibited on chromatin templates (Izban and Luse), 683–696
loop-binding protein, of HIV TAR (TRP-185) (Wu et al.), 2128–2140
polymerase I
xUBF transcription factor, domains of (McStay et al.), 1957–1968
polymerase II
CTD domain and transcription initiation (Liao et al.), 2431–2440
elongation chromatin templates (Izban and Luse), 683–696
products, encoded by mouse H19 gene (Brunkow and Tilgman), 1092–1101
transcription initiation (Timmers and Sharp), 1946–1956
polymerases II and III, and A/T-rich region of human U6 promoter (Lobo et al.), 1477–1489
processing
alternative splicing of beta-tropomysoin pre-mRNA (Guo et al.), 2096–2107
nuclear RNase MRP, multisite processing (Karwan et al.), 1263–1276
regulation of *Drosophila dsx* pre-mRNA (Ryner and Baker), 2071–2085
relationship between polyadenylation and splicing (Niwa and Berget), 2086–2095
3′-end maturation of mammalian histone pre-mRNAs (Bond et al.), 1709–1722
secondary structure, and polyadenylation (Brown et al.), 1277–1284
self-splicing, protein facilitation of (Gampel and Cech), 1870–1880
splicing
Neurosopora mitochondria (Kittle Jr. et al.), 1009–1021
post transcriptional regulation of *Drosophila sex-lethal* gene (Bopp et al.), 403–415
retroviral, control of balanced splicing (Fu et al.), 211–220
RNA-binding proteins
arginine-rich sequences and RNA recognition (Calnan et al.), 201–210
and pre-mRNA splicing (Patton et al.), 1237–1251; (Gil et al.), 1224–1236
recognize TAR element and affect Tat

transcription (Sheline et al.), 2508–2520
RNase MRP, nuclear multisite processing (Karwan et al.), 1263–1276
rNFIL-6 transcription factor, cAMP induction (Metz and Ziff), 1754–1766
RNP motif, yeast, PRP24 proteins (Shannon and Guthrie), 773–785
rodA, a new *Aspergillus* developmental gene (Stringer et al.), 1161–1171
Rodlet layer, outer hydrophobic wall layer of conidiophore cells and spores (Stringer et al.), 1161–1171
Runt gene, *Drosophila* segmentation gene, and

S

Saccharomyces cerevisiae. *See also* Yeast
cell cycle, CLN function (Lahue et al.), 22166–2175
cell cycle-regulated transcription of HO (Breeden and Mikesell),1183–1190
cold-sensitive mRNA splicing mutant (Strauss and Guthrie), 629–641
DNA replication and genes MCM2 and 3 (Yan et al.), 944–957
genes involved in kinetochore function, Shero and Hieter,549–560
HO gene activation (Taba et al.), 2000–2013
interacting DNA replication genes (Hennessy et al.), 958–969
mating response pathway, myristoylation of Gpa1 (Stone et al.), 1969–1981
MCM1 transcription factor activates Sw15 transcription (Lydall et al.), 2405–2419
meiosis, function of MEK1 gene product (Rockmill and Roeder), 2392–2404
meiotic control by zinc finger protein homolog (Covitz et al.), 1982–1989
novel U6 snRNP protein, PRP24 protein (Shannon and Guthrie), 773–785
replication factor-A (RF-A) genes (Brill and Stillman), 1589–1600
role of U1 snRNP in splice site selection (Goguel et al.), 1430–1438
role of RAP1 in cell-type determination (Kurtz and Shore), 616–628
telomere-binding proteins (Liu and Tye), 49–59
Salm *Drosophila* locus, *Antp* target gene (Wagner-Bernholz et al.), 2467–2480
Salmonella
Hin recombination system (Heichman et al.), 1622–1634
Hin-mediated site-specific recombination (Moskowitz et al.), 1635–1645
Sc. *See Scute*
SC-35, non-snRNP splicing factor (Huang and Spector), 2288–2302
Schizosaccharomyces pombe. *See also* Fission yeast
fbp1 gene, repression of transcription by cAMP (Hoffman and Winston), 561–571
sexual development, transcription factor (Ste11) with HMG motif (Sugimoto et al.), 1990–1999
Scid mice, TCR delta recombination in thymocytes (Carroll and Bosma), 1357–1366
Scute (*sc*) gene expression, *Drosophila* (Cubas et al.), 996–1008; (Skeath and Carroll), 984–995
Segment-polarity genes, *Drosophila*, regulation by pair-rule gene (Morrissey et al.), 1684–1696
Segmentation gene, *Drosophila*
eve, autoregulation of (Jiang et al.), 265–277
and gap proteins *hb* and *kr* (Zuo et al.), 254–264
hairy stripe elements (Riddihough and Ish-Horowicz), 840–854
pair-rule *ftz* (Topol et al.), 855–867
runt (Duffy and Gergen), 2176–2187
transition between pair-rule and segment-polarity gene (Morrissey et al.), 1684–1696
and *wimp* mutation (Parkhurst and Ish-Horowicz), 341–357
Sensory organ
development, *Drosophila* (Cubas et al.), 996–1008
identity, Drosophila, transformation of (Bochlinger et al.), 1124–1135
pattern formation. *See* Pattern formation
Septation, *B. subtilis* and *ftsZ* cell division gene (Beall and Lutkenhaus), 447–455
Sequencing, new genomic method, footprinting of TTR control elements (Mirkovitch and Darnell), 83–93
Sex determination, *Drosophila*
doublesex gene (Mattox and Baker), 786–796; (Ryner and Baker), 2071–2085
runt gene necessary for *sex-lethal* expression (Duffy and Gergen), 2176–2187
sex-lethal gene (Bopp et al.), 403–415
Sex-lethal (*Sx1*) sex determining gene, *Drosophila*, activation of (Duffy and Gergen), 2176–2187
Sexual development, *S. pombe* Ste11 protein transcription factor, HMG motif (Sugimoto et al.), 1990–1999
SFF transcription factor, yeast, and SW15 transcription (Lydall et al.), 2405–2419
Sh. *See Shaker*
Shaker gene complex (*ShC*), *Drosophila*, haploletal (HL) region (Barbas et al.), 132–140
Short-range repression, Drosophila stripe expression (Small et al.), 827–839
Sigma factor
B. subtilis, *spoIVB* gene (Cutting et al.), 456–466
(σ^{54}), controls stress-induced expression of *E. coli psp* operon (Weiner et al.), 1912–1923
Signal transduction
in *Arabidopsis* photomorphogenesis (Deng et al.), 1172–1182
B. subtilis, *spoIVB* gene (Cutting et al.), 456–466
Dictyostelium ras gene (*Dd-ras*) (Esch and Firtel), 9–21
mechanism, conservation of (Cherbas et al.), 120–131
mediated by CSF-1R, effect of ras^{p21} products on (Bortner et al.,1777–1785
Signaling, intercellular, and mouse *Wnt* gene family (Roelink and Nusse), 381–388
Single-copy gene analysis, Zhang and Gralla procedures (Pfeifer and Riggs), 1102–1113
Single-stranded DNA-binding protein, human RF-A (Brill and Stillman), 1589–1600
Site-specific cleavage, RNA processing (Karwan et al.), 1263–1276
Site-specific recombination, *Hin* system (Moskowitz et al.), 1635–1645
SL RNA, *T. brucei*, interactions with U snRNAs (Watkins and Agabian), 1859–1869
SNA binding, DNA looping by Sp1 protein (Su et al.), 820–826
snail zygotic gene, *Drosophila*, mutants of (Rao et al.), 1577–1588
snRNA genes, human U6, transcription factor IID binding vs. nonbinding (Lobo et al.), 1477–1489
snRNAs, U4/U6 interaction (Shannon and Guthrie), 773–785
snRNP
protein, yeast, PRP24 protein (Shannon and Guthrie), 773–785
purified HeLa [U4/U6.U5] tri-snRNP complexes (Behrens and Lührmann), 1439–1452
U7, base pairing with HDE of mammalian histone pre-mRNAs (Bond et al.), 1709–1722
Somatic pairing, in *Drosophila brown* gene region (Dreesen et al.), 331–340
Somites, *Xenopus*, cardiac actin expression (Taylor et al.), 1149–1160

Sp1
protein, DNA looping (Su et al.), 820–826
transcription factor, activation domains of (Pascal and Tjian), 1646–1656
Spatial expression, of *Dictyostelium ras* gene (*Dd-ras*) (Esch and Firtel), 9–21
Spatial regulation, murine *Hox-2.6* gene expression (Whiting et al.), 2048–2059
Sperm motility gene, inactivation of (Merlino et al.), 1395–1406
Spermatogenesis, transgenic mice (Merlino et al.), 1395–1406
Spermatogonial stem cells, MyK-103 transgenic mice, recombinational hotspot (Wilkie et al.), 38–48
Splice site selection
rat alpha-tropomyosin, branchpoint/polypyrimidine tracts (Mullen et al.), 642–655
yeast, role of U2 snRNP (Goguel et al.), 1430–1438
Spliceosome. *See also* splicing
Spliceosome
assembly
pathway, ATP-independent complex commits pre-mRNA (Michaud and Reed), 2534–2546
and U2 snRNA conformation (Zavanelli and Ares), 2521–2533
[U4/U6.U5] tri-snRNP complex (Behrens and Lührmann), 1439–1452
Splice site, 3′, K lactis ACT intron, critical positioning requirement (Deshler and Rossi), 1252–1263
Splice site, 5′, mouse NCAM, regulation of exon 18 (Tacke and Goridis), 1416–1429
Splicing. *See also* alternative splicing
3′ splice-site selection (Deshler and Rossi), 1252–1263
alternative, of beta-tropomyosin pre-mRNA (Guo et al.), 2096–2107
avian retrovirus RNA, role of branchpoint and 3′-exon sequences (Fu et al.), 211–220
cold-sensitive mutant of *S. cerevisiae* (Strauss and Guthrie), 629–641
dependence on polyadenylation signals (Niwa and Berget), 2086–2095
factors, snRNPs and non-snRNPs (SC-35) (Huang and Spector), 2288–2302
pre-mRNA, catalytic role of U6 RNA (Tani and Ohshima), 1022–1031
pre-splicesome complex (Gil et al.), 1224–1236
protein facilitation of RNA self-splicing (Gampel and Cech), 1870–1880
regulation of *Drosophila dsx* pre-mRNA processing (Ryner and Baker), 2071–2085
and snRNPs (Behrens and Lührmann), 1439–1452
and steric interference between splice sites (Black), 389–402
yeast, U4/U6 interaction (Shannon and Guthrie), 773–785
Spores, *Aspergillus* developmental gene *rodA*, required for formation of rodlet layer (Stringer et al.), 1161–1171
Sporulation
B. subtilis
asymmetric septation (Beall and Lutkenhaus), 447–455
spoIVB gene (Cutting et al.), 456–466
yeast, meiotic gene expression (Neigeborn and Mitchell), 533–548
SRE (serum response element), of c-*fos*, cAMP dependent activation of (Metz and Ziff), 1754–1766
SRF-related proteins, DNA-binding properties of (Pollock and Treisman), 2327–2341
START-specific HO activation, yeast (Taba et al.), 2000–2013
Stationary phase, yeast, mRNA levels (Choder), 2315–2326
Staurosporine, fission yeast, inhibition of protein kinase C (Toda et al.), 60–73
Ste11 protein, *S. pombe* transcription factor (Sugimoto et al.), 1990–1999
STE12 protein, yeast, pheromone-dependent phosphoryation (Song et al.), 741–750
Stem cells. See also embryonic stem cells
Stem–loop structure, HIV TAR RNA (Wu et al.), 2128–2140
Steroid hormone receptor, HNF-4 (Tian and Schibler), 2225–2234
Steroid hormones, *Drosophila*
ecdysone action (Cherbas et al.), 120–131
ecdysone coordinates timing of E74 (Karim and Thummel), 1067–1079
Steroidogenic cells, retrotransposon expression (Schiff et al.), 521–532
Strand exchange, *Salmonella Hin* recombination system (Heichman et al.), 1622–1634
Stress responsse, *E. coli psp* operon (Weiner et al.), 1912–1923
Stripe elements, *Drosophila*
pair-rule gene *hairy* (Riddihough and Ish-Horowicz), 840–854
expression, *fushi tarazu* zebra-stripe (Topol et al.), 855–867
expression pattern, stripe 2 (Small et al.), 827–839
Supercoiling, poly (dG)-poly (dC) sequence can form triplex DNA structure, length dependency (Kohwi and Kohwi-Shigematsu), 2547–2554
SV40 T antigen, CT3 cytoplasmic localization mutant of (Jeoung et al.), 2235–2244
SW14,6–DNA binding complex, yeast, *HO* activation (Taba et al.), 2000–2013
SWI4 transcription factor, yeast, required for cell cycle regulation of *HO* transcription (Breeden and Mikesell), 1183–1190
Switch recombination, LR1 candidate regulator (Williams and Maizels), 2353–2361
Sx1 regulation (Duffy and Gergen), 2176–2187
Synaptonemal complex, *S. cerevisiae* (Rockmill and Roeder), 2392–2404
Synergistic activation, by transcription factor Sp1 (Pascal and Tjian), 1646–1656

T

T cells
antigen receptor (TCR), alpha enhancer, regulated by LEF-1 (Travis et al.), 880–894
Ig gene rearrangement (Schlissel et al.), 1367–1376
receptors (TCR) genes, TCR delta recombination in scid thymocytes (Carroll and Bosma), 1357–1366
receptor Cα enhancer (TCRα enhancer), regulation by T cell specific transcription factor TCF-1α (Waterman et al.), 656–669
-specific transcription factor, TCF-1α with HMG motif (Waterman et al.), 656–669
T-DNA, model for integration in plants (Gheysen et al.), 287–297
TAR RNA
stem-loop structure, HIV-1, loop and bulge residues (Sheline et al.), 2508–2520
Tat protein binding to (Calnan et al.), 201–210; (Southgate and Green), 2496–2507
Tat protein, HIV-1
transcriptional activation by (Southgate and Green), 2496–2507
transcriptional regulation effected by TAR RNA-binding factors (Sheline et al.), 2508–2520
Tat *trans*-activator protein, HIV, regulates TAR RNA-binding protein (Wu et al.), 2128–2140
TATA box, replaces A/T region of hu-

man U6 promoter (Lobo et al.), 1477–1489
-binding protein (TBP), part of TFIID complex (Pugh and Tjian), 1935–1945
-independent, transcription from promoter, multisubunit TFIID complex required (Pugh and Tjian), 1935–1945
recognition of by TFIID protein (Timmers and Sharp), 1946–1956
TATA element
and cell-type specific transcription (McCormick et al.), 1490–1503
stabilization of TFIID binding by Zta (Lieberman and Berk), 2441–2454
TATA-binding factor, TFIID, facilitates HSF binding to nucleosomal template (Taylor et al.), 1285–1298
TBFα, yeast telomere-binding protein, binds yeast, *Tetrahymena*, and vertebrate sequences (Liu and Tye), 49–59
TBFβ, yeast telomere-binding protein (Liu and Tye), 49–59
TCP (toxin-coregulated pilus), *V. cholerae*, biogenesis of (Kaufman et al.), 1834–1846
TcpJ protein, *V. cholerae* pilin processing (Kaufman et al.), 1834–1846
TEF (thyrotroph embryonic factor), new class of bZIP proteins (Drolet et al.), 1739–1753
Telomere-binding proteins, yeast, TBFα, TBFβ and RAP1 (Liu and Tye), 49–59
Temporal regulation
C. elegans heterochronic genes (Arasu et al.), 1825–1833
Drosophila embryo (Yasuda et al.), 1800–1812
Termination of replication, DNA (T)–protein (ter) interaction (Sista et al.), 74–82
Terminator protein (ter), interaction with DNA sequences (tau) (Sista et al.), 74–82
Tetrahymena, histone changes during macronuclear inactivation (Lin et al.), 1601–1610
TFE3 DNA-binding protein, b-HLH-zip region (Beckmann and Kadesch), 1057–1066
TFEB, DNA-binding factor, HLH/leucine-zipper family (Fisher et al.), 2342–2352
TFIID complex
Gal4—Pro coactivators purified from (Tanese et al.), 2212–2224
subunits of (Pugh and Tjian), 1935–1945
TFIID protein, mammalian, two functionally distinct complexes (Timmers and Sharp), 1946–1956
Thyroid hormone (T3/T4) receptor, c-*erbA* (Disela et al.), 2033–2047
Thyroid stimulating hormone (TSH-beta), promoter, binding and *trans*-activation by TEF (Drolet et al.), 1739–1753
Thyrotroph embryonic factor. *See* TEF
TIIIA, *Xenopus* (Blanco et al.), 1737–1738
Tissue-specific enhancer, adipocyte cells (Graves et al.), 428–437
Tissue-specific expression, HNF-1 gene (Tian and Schibler), 2225–2234
ThI. See Troponin I
Tobacco (transgenic), auxin inactivation (Romano et al.), 438–446
Toll transmembrane protein, *Drosophila* embryo, dorsal–ventral polarity (Schneider et al.), 797–807
Tomato LAT genes, pollen-specific enhancer sequences and shared regulatory elements (Twell et al.), 496–507
Topoisomerase I, role in transcriptional repression (Choder), 2315–2326
Toxin-mediated ablation, of *Drosophila* photoreceptor cells (Kunes and Steller), 970–983
TPR motif, found in *Drosophila crn* gene and yeast cell cycle gene (Zhang et al.), 1080–1091
Tra. See Transformer
Tracheal development, and *Drosophila* FGF-R homolog (Glazer and Shilo), 697–705
Trans-acting factors, modulation of E1A alternative splicing,modulating factors (Gattoni et al.), 1847–1858
Trans-activation
BPV-1 E2 protein, activator and repressor (Dosatni et al.), 1657–1671
maize, of anthocyanin pigmentation (Goff et al.), 298–309
Trans-inactivation element, at *Drosophila brown* gene (Dreesen et al.), 331–340
Trans-regulation, by Fos family members (Mumberg et al.), 1212–1223
Trans-splicing
events, required to produce mature *Petunia nad1* transcript (Conklin et al.), 1407–1415
U snRNA interactions in *T. brucei* (Watkins and Agabian), 1859–1869
Transcription
activation, and yeast MCM1 factor (Christ and Tye), 751–763
activation and repression (Ruezinsky et al.), 29–37
antitermination, bacteriophage lambda (Nodwell and Greenblatt), 2141–2151
complexes, phage lambda N protein and *E. coli* elongation factors (Mason and Greenblatt), 1504–1512
Drosophila
activation and repression by gap proteins (Zuo et al.), 254–264
effect of *wimp* mutation on (Parkhurst and Ish-Horowicz), 341–357
factors
AP-2, structure/function analysis (Williams and Tjian), 670–682
b-HLH-zip region of TFE3 (Beckmann and Kadesch), 1057–1066
bZIP, new member TEF (Drolet et al.), 1739–1753
E47, helix–loop–helix, activates gene rearrangement in T-cell line (Schlissel et al.), 1367–1376
Elf-1, *Drosophila* embryogenesis, function in vivo (Bray and Kafatos), 1672–1683
erythroid, GATA-1 (Tsai et al.), 919–931
footprinting of TTR control elements (Mirkovitch and Darnell), 83–93
GHF1, pituitary specific (McCormick et al.), 1490–1503
helix-loop-helix ITF-1 and TFE3 (Ruezinsky et al.), 29–37
HNF-1, heterodimerization of (Mendel et al.), 1042–1056
HSF and GAL4, differential binding to nucleosomal templates (Taylor et al.), 1285–1298
IID (TFIID), specifies RNA polymerase II U6 transcript (Lobo et al.), 1477–1489
NF-κB (Kerr et al.), 1464–1476
Oct-1, homeodomain recognized by HSV *trans*-activator VP16 (Stern and Herr), 2555–2566
rNFIL-6, cAMP induction (Metz and Ziff), 1754–1766
Sp1, activation domains of (Pascal and Tjian), 1646–1656
Sp1, activation domains of (Pascal and Tjian), 1646–1656
S. pombe Ste11 (Sugimoto et al.), 1990–1999
Xenopus TFIIA (Blanco et al.), 1737–1738
yeast *MCM1* and *SFF*, and *SW15* transcription (Lydall et al.), 2405–2419
pseudo-templated, in prokaryotes and eukaryotes (Jacques and Kolakofsky), 707–713 Review
TATA-independent TFIID complex containing TBP is essential for (Pugh and Tjian), 1935–1945
Transcriptional activation
Gal4–Pro coactivators (Tanese et al.), 2212–2224

by HIV-1 Tat protein (Southgate and Green), 2496–2507
HNF-1 gene regulation (Tian and Schibler), 2225–2234
muscle-specific by MyoD (Weintraub et al.), 1377–1386
of mouse retrotransposons (Schiff et al.), 521–532
role of RAP1 DNA-binding protein in yeast (Kurtz and Shore), 616–628
Transcriptional activators, POU-domain family Pit-1 and Oct-1 (Voss et al.), 1309–1320
Transcriptional control, attenuation of *hsp70* transcription in HeLa cells (Abravaya et al.), 2117–2127
Transcriptional enhancers, DNA-looping model (Su et al.), 820–826
Transcriptional repression, role of topoisomerase I (Choder), 2315–2326
Transformation
of *Drosophila* sensory organ identity (Bochlinger et al.), 1124–1135
by FosB (Mumberg et al.), 1212–1223
hematopoietic cells (Metz and Graf), 369–380
Transformer (*tra*) and *transformer-2* (*tra-2*) Drosophila genes, and *dsx* pre-mRNA processing (Ryner and Baker), 2071–2085
Transformer-2 gene, *Drosophila*, autoregulation of splicing (Mattox and Baker), 786–796
Transforming growth factor-α (TGF-α), and epidermal development in transgenic mice (Vassar and Fuchs), 714–727
Transgene
mouse H19 gene constructs (Brunkow and Tilghman), 1092–1101
RA response element–*hsplacZ*, expression during mouse embryogenesis (Rossant et al.), 1333–1344
Transgenic mice
ectopic expression of c-*kit*^{W42} minigene (Ray et al.), 2265–2273
epidermal development, role of TGF-α (Vassar and Fuchs), 714–727
Hox-2.6 gene expression (Whiting et al.), 2048–2059
immunoglobulin mu expression (Jenuwein and Grosschedl), 932–943
male MyK-103 line, germ-line intrachromasomal recombination (Wilkie et al.), 38–48
overexpression of glycerol 3-phosphate dehydrogenase, abnormal brown and white fat development (Kozak et al.), 2256–2264
Pcp-2–lacZ expression in cerebellar compartments (Vandaele et al.), 1136–1148
promoter traps as genetic screen (Friedrich and Soriano), 1513–1523
sterile male recessive mutant phenotype (Merlino et al.), 1395–1406
Translation
inhibitors, and stability of c-*myc* mRNA (Wisdom and Lee), 232–243
HIV-1 RNAs, cytoplasmic accumulation (Arrigo and Chen), 808–819
of mouse ribosomal protein mRNAs (Hammond et al.), 1723–1736
and mRNA stability (Wisdom and Lee), 232–243
premature termination codon (Leeds et al.), 2303–2314
Translational control, of EGF receptor transgene during mouse spermatogenesis (Merlino et al.), 1395–1406
Translational efficiency, mRNA, interdependence between cap structure and poly(A) tail (Gallie), 2108–2116
Translocation t (1;19), E2A–Pbx1 fusion proteins (Kamps et al.), 358–368
Transmission ratio distortion, male transgenic MyK-103 mice (Wilkie et al.), 38–48
Transthyretin (TTR) gene, footprinting of transcription control elements (Mirkovitch and Darnell), 83–93
Triple-helix structure, dG.dG.dC, and altered gene expression (Kohwi and Kohwi-Shigematsu), 2547–2554
Troponin I (TnI), encoded in *Drosphila* HL region (Barbas et al.), 132–140
TRP RNA, HIV LTR, *tat* regulates binding of TRP-185 (Wu et al.), 2128–2140
Trypanosoma brucei
homologous recombination products in (Eid and Sollner-Webb), 2024–2032
trans-splicing, U snRNA interactions (Watkins and Agabian), 1859–1869
tubB alpha-tubulin gene, *A. nidulans* sexual development (Kirk and Morris), 2014–2023
tud. See Tudor
tudor (*tud*) posterior-group gene, *Drosophila*, mRNA localization during oogenesis (Golumbeski et al.), 2060–2070
Tw. See Twist
Twist
determinant gene, *Drosophila* embryo, regulated by *dorsal* (*dl*) morphogen gradient (Jiang et al.), 1881–1891
zygotic gene, *Drosophila*
embryo, dorsal-dependent ventral activator region (Pan et al.), 1892–1901
mutants of (Rao et al.), 1577–1588
Tyrosyl–tRNA synthetase, mitochondrial, *Neurospora* (Kittle Jr. et al.), 1009–1021

U

U1 snRNP, yeast, role in splice site selection (Goguel et al.), 1430–1438
U2 snRNA
and pre-spliceosome complex (Gil et al.), 1224–1236
structure, role in pre-mRNA splicing (Zavanelli and Ares), 2521–2533
[U4/U6.U5] tri-snRNP complexes, immunoaffinity purification of (Behrens and Lührmann), 1439–1452
U6
promoter, human, A/T-rich region (Lobo et al.), 1477–1489
snRNA genes, mRNA type introns found in (Tani and Ohshima), 1022–1031
U7 snRNP, base pairing with HDE of mammalian histone pre-mRNA (Bond et al.), 1709–1722
Ubx Drosophila gene, activation by Elf-1 transcription factor (Bray and Kafatos), 1672–1683
unc-86 gene, *C. elegans* homeo box-containing gene (Way et al.), 2199–2211
UPF1 gene, yeast, and degradation of transcripts with premature stop codons (Leeds et al.), 2303–2314
Urogenital system, murine, and Wilms' tumor gene *WT1* (Pelletier et al.), 1345–1356
UV cross-linking, of U snRNAs (Watkins and Agabian), 1859–1869

V

v-*erbA* oncoprotein, overexpression extinguishes c-*erbA* function (Disela et al.), 2033–2047
v-*ets* oncogene, transformation and differentiation (Metz and Graf), 369–380
v-*myb* oncogene, transformation and differentiation (Metz and Graf), 369–380
Vertebrate development, AP-2 transcription factor, regulator potential (Mitchell et al.), 105–119
Vertebrate transcription factor. See also transcription factor
Vestigial gene (*vg*), *Drosophila*, role in wing and haltere development (Williams et al.), 2481–2495
Vg. See Vestigial

Vibrio cholerae, pilin processing, SecA-independent proteolytic cleavage (Kaufman et al.), 1834–1846
Viral *trans*-activator, HIV Tat protein (Calnan et al.), 201–210
Virus induction, blocked by zinc-finger protein PRDI-BFF1 (Keller and Maniatis), 868–879
Visual system development, *Drosophila* (Kunes and Steller), 970–983
VL30 elements, murine retrotransposon family, Schiff et al.,521–532
VP16 transactivator, of HSV, recognizes Oct-1 homeodomain (Stern and Herr), 2555–2566
Vulval differentiation, *C. elegans*, role of let-60 *ras* gene (Han and Sternberg), 2188–2198

W

W murine locus, allelism with c-*kit* (Ray et al.), 2265–2273
Wilms' tumor gene WT1, recessive oncogene involved in murine urogenital system (Pelletier et al.), 1345–1356
Wimp, *Drosophila*, dominant maternal-effect mutation (Parkhurst and Ish-Horowicz), 341–357
Wnt gene family, *Wnt-3* and *Wnt-3A*, mouse development (Roelink and Nusse), 381–388

X

X chromosomes, chromatin structure of active (Xa) and inactive (Xi) (Pfeifer and Riggs), 1102–1113
Xenopus laevis
  embryonic muscle MyoD development, and cardiac actin expression (Taylor et al.), 1149–1160
  embryos, mesodermal patterning by retinoic acid (Altaba and Jessell), 175–187
  RA perturbs mesoderm (Sive and Cheng), 1321–1332
  retinoic acid receptor (RAR) (Ellinger-Ziegelbauer and Dreyer), 94–104
  TFIIIA substitution (Blanco et al.), 1737–1738 upstream binding factor (xUBF) dimerization domain (McStay et al.), 1957–1968

Y

Yeast. *See also Saccharomyces cerevisiae*
  alpha2 repressor, homeo domain of (Phillips et al.), 764–772
  CBP2 protein binding to mitochondrial group I intron (Gampel and Cech), 1870–1880
  HML silencer (Mahoney et al.), 605–615
  MATα1 mediated gene activation (Sengupta and Cochran), 1924–1934
  MCM1 transcription/replication factor (Christ and Tye), 751–763
  meiotic activation by *MCK1* kinases, Neigeborn and Mitchell, 533–548
  pheromone response pathway (Hirsch et al.), 467–474
  RNA polymerase II CTD domain, transcription initiation (Liao et al.), 2431–2440
  SCG1 guanine nucleotide-binding domain mutants (Kurjan et al.), 475–483
  stationary phase, mRNA levels (Choder), 2315–2326
  STE12 protein, pheromone-dependent phosphorylation of (Song et al.), 741–750
  TPR motif of cell cycle genes (Zhang et al.), 1080–1091
  U2 RNA structure, role in pre-mRNA splicing (Zavanelli and Ares), 2521–2533
  UPF1 gene, and degradation of transcripts with premature stop codon (Leeds et al.), 2303–2314

Z

Zein storage proteins, maize (Aukerman et al.), 310–320
Zinc finger protein
  Drosophila
    glass gene (Moses and Rubin), 583–593
    PEP, association with active ecdysone-induced puffs (Amero et al.), 188–200
    snail gene product (Leptin), 1568–1576
  encoded by yeast RME1 gene (Covitz et al.), 1982–1989
  PRDI-BF1, repressor of beta-IFN expression (Keller and Maniatis), 868–879
Zta *trans*-activator protein, encoded by Epstein-Barr virus, stabilizes TFIID binding to TATA element (Lieberman and Berk), 2441–2454
Zygotic genes, *Drosophila*
  snail and *twist* mutants (Rao et al.), 1577–1588
  twist and *snail* (Leptin), 1568–1576